

The WORKSHOP

Catalogue

February-May 2023

All prices quoted include GST.

morrisflex

NG6
NEXT GENERATION
ACCELERATOR



The Performance Benchmark Has Just Been Reset!

Patent pending geometry and **ACCELERATOR** Coating has shown up to double the rate of stock removal over conventional burrs.

3/8" Head NG6 Coated Carbide Burr Set

Shank Dia: 1/4"



\$154

PN: CBSET3NG6C

1/4" & 3/8" Head NG6 Coated Carbide Burr Set

Shank Dia: 1/4"



\$320

PN: CBSET8NG6C

KUANI
Gear up your world™

4" Extended Cut Off Tool

Ultra compact head ideal for body panels, exhaust pipes or other hard to access spaces.

QUICK RELEASE ADJUSTABLE GUARD!



Free Speed: 14,000 RPM
Length: 345 MM
Weight: 0.45 Kg

\$469

PN: KP4413



P2 Respirators

4 LAYER PROTECTION!

HOT PRICE!



Each respirator comes with 2 additional disposable P2 filters.



GREEN PN: MPLR-P2FG
BLACK PN: MPLR-P2B

\$34 ea


See more on back page.

See full product range at: gamer.com.au

ACCUD

Measuring Equipment

Dual Scale Digital Caliper



Range: 150 MM
Resolution: 0.01 MM
Accuracy: ± 0.03 MM

\$99

PN: AG-111-006-12

Concrete Moisture Meter

- Sample density compensation setting for increased accuracy

Range: 0-40%
Resolution: 0.5 %
Accuracy: $\pm 2\%$
Working temperature: 0 - 40°C



New!

\$459

PN: AG-WMM900

Dual Scale Angled Feeler Gauge

Metric Range: 0.005 - 0.030 MM
Imperial Range: 0.127" - 0.762"
Blade Length: 100 MM



New!

\$48

PN: AG-919-030-26

Gravity Feed Spray Guns

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing



PROWIN™ TOOLS

See full range on page 10

geiger™

Metal Working Bench Vises

- Integrated anvil & pipe jaws
- Lockable 360° Swivel base



150 MM Bench Vice

Jaw face: 155 x 85 MM
Jaw opening: 150 MM
Weight: 14 Kg

\$349

PN: GBV6

200 MM Bench Vice

Jaw face: 205 x 85 MM
Jaw opening: 200 MM
Weight: 18 Kg

\$449

PN: GBV8

HEAVY DUTY CAST STEEL!

NICRON®

LED TORCHES & HEADLAMPS

nicronlight.com.au

TWIST Light

The head of a Twist Light can be swiveled anywhere from 0 to 90 degrees, offering extreme versatility.

Applicable to PN: B73R, B71pro, B75 & B70PLUS



Mini Focusable Flashlight

\$37
PN: B10

Battery

1 x
16340
Li-ion

Ingress
Rating

SPLASH
IP65



- High Capacity Li-ion Rechargeable
- Key Ring

Brightness: 200 Lm
Intensity: 2000 Cd

Primary Beam:
LOW (30Lm / 10Hr)
MED (100Lm / 4Hr)
HIGH (200Lm / 2Hr)
STROBE: (200Lm)

Size: 65x 20mm
Weight: 45g

Mini Focusable Flashlight

\$83
PN: F51



- Focusable Beam
- Includes USB rechargeable battery
- AA batteries NOT included
- Pen Clip

Brightness: 600 Lm
Intensity: 3800 Cd

Primary Beam:
LOW (100 Lm / 5.5Hr)
MED (250 Lm / 2.5Hr)
HIGH (600 Lm / 1Hr)

Size: 103 x 26 MM
Weight: 80g

Battery

14500
Li-ion

1 x AA

Ingress
Rating

IPX4

Focusable Flashlight

\$110
PN: F81



Brightness: 1000 Lm
Intensity: 6500 Cd

Primary Beam:
LOW (50Lm / 20Hr)
MED (150Lm / 7Hr)
HIGH (500Lm / 3Hr)
MAX (1000Lm / 2Hr)
STROBE (1000Lm)

Size: 170 x 35mm
Weight: 200g

Battery

1 x
18650
Li-ion

Ingress
Rating

IP64

Charge
Port

USB
TYPE C

Extreme Tactical Flashlight

\$388
PN: B400



- High Capacity Li-ion Rechargeable
- 3.5mm 12V Charge Port
- 4 CREE LED Array

Brightness: 12000 Lm
Intensity: 30000 Cd

Primary Beam:
LOW (500Lm / 14.5Hr)
MED (1000Lm / 7Hr)
HIGH (3000Lm / 4Hr)
MAX (6000Lm / 2.5Hr)
EXTREME (12000Lm / 2.5Hr)
STROBE: (6000Lm)

Size: 152 x 64 MM
Weight: 720g



FREE
1.8m
TRIPOD!

While stocks last.

Battery

4 x
18650
Li-ion

Ingress
Rating

IP67
1M

Battery
Indicator

10% 100%

Tripod
Mount

1/4"-20 UNC

Long Range Tactical Flashlight

\$142
PN: B200



Brightness: 1000 Lm
Intensity: 72000 Cd

Primary Beam:
LOW (100Lm / 12Hr)
MED (300Lm / 3.5Hr)
HIGH (1000Lm / 3Hr)
STROBE: (1000Lm)

Size: 235 x 59 MM
Weight: 550g

Battery

2 x
18650
Li-ion

Ingress
Rating

IP68
1M+

Battery
Indicator

10% 100%

Charge
Port

USB
Micro B

Utility Worklamp

\$60
PN: WL15



Brightness: 500 Lm
Intensity: 800 Cd

Primary Beam:
LOW (80Lm / 10Hr)
HIGH (200Lm / 3Hr)

Flood Light:
LOW (100Lm / 8Hr)
MED (300Lm / 3Hr)
HIGH (500Lm / 0.5Hr)
Size: 164 x 22 MM
Weight: 140g

Battery

3 x
AA

Ingress
Rating

IPX4

Mag Base

U

Utility Flashlight

\$110
PN: WL81



Brightness: 1000 Lm
Intensity: 6000 Cd

Primary Beam:
LOW (80Lm / 10Hr)
MED (500Lm / 3.5Hr)
HIGH (1000Lm / 3Hr)
STROBE: (1000Lm)
Flood Light:
LOW (35Lm / 19Hr)
HIGH (250Lm / 5Hr)
Size: 121 x 27 MM

Weight: 110g

Battery

18650
Li-ion

Ingress
Rating

IP67
1M

Charge
Port

USB
TYPE C

Battery
Indicator

10% 100%

Mag Base

U

2-I Utility Worklamp

\$110
PN: WL83



- Top mounted hanger
- Top mounted spot light
- Front mounted flood light
- Handle incorporates foldout stand

Brightness: 500 / 200 Lm
Intensity: 225 Cd

Primary Beam:
LOW (200Lm / 10Hr)
HIGH (500Lm / 5Hr)

Spot Light:
LOW (200Lm / 10Hr)
Size: 200 x 60 x 30 MM
Weight: 285g

Battery

21700
Li-ion

Ingress
Rating

IP20

Charge
Port

USB
TYPE C

Battery
Indicator

10% 100%

Mag Base

U



Magnetic Base

Mount to any ferrous surface. Ideal for wheel wells and engine bays or other tight spaces.

Applicable to PN: B70PLUS, B71pro, B73R, B74BLUE, B74RED, B75, WL15, WL81 & WL83



Integrated Battery Indicator

A dedicated built-in LED battery indicator.

Applicable to PN: B400 & WL83



Multifunction Indicator Button

Illuminated multi-function switch with Battery State Indicator. Displays battery state with back-lit multi-colour LED button.

Applicable to PN: B200, B73R, B71pro, B75 & B70PLUS & WL81



Dual Fuel Capability

Able to accept high capacity rechargeable and standard A series batteries.

Applicable to PN: B73R, B74BLUE, B74RED & F51



Integrated Charging Port

Recharge without the need to remove the battery with an integrated charge port.

Applicable to PN: B10, B200, B400, B71PRO, B75, B70PLUS, F81, H11, H35, WL15, WL81 & WL83

TWIST Pen Light

\$94

PN: B73R



- Includes USB rechargeable battery
- AAA batteries NOT included
- Illuminated Multi-function Switch with Battery State Indicator

Brightness: 150 Lm
Intensity: 650 Cd

Primary Beam:
LOW (60Lm / 8Hr)
HIGH (150Lm / 2.5Hr)
Size: 152 x 18 x 15 mm
Weight: 75g



Mini Twin-Beam Headlamp

\$83


PN: H11



- High-quality anodised aluminium body

Brightness: 700 Lm
Intensity: 4000 Cd

Weight: 59g



Mini TWIST Light

\$94 ea



- Includes USB rechargeable battery
- AA batteries NOT included
- Pen Clip

Brightness: 700 Lm
Intensity: 4000 Cd

Primary Beam:
LOW (100Lm/7Hr)
MED (250Lm/2.5Hr)
HIGH (700Lm/1Hr)
STROBE (700Lm)
Size: 112 x 21 x 18 mm
Weight: 85g



PN: B74RED PN: B74BLUE

Twin-Beam Headlamp


\$125

PN: H35



Brightness: 1600 Lm
Intensity: 4000 Cd

- Anti-slip belt can be mounted directly to helmets.
 - Both lamps can function simultaneously, producing up to 1600 Lm.
 - Headlamp can be angled vertically up to 120 degrees
 - Includes li-ion battery
- Weight: 69g



PRO TWIST Light

\$94


PN: B71pro



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

Brightness: 950 Lm
Intensity: 10000 Cd

Primary Beam:
LOW (10Lm / 100Hr)
MED (70Lm / 15Hr)
HIGH (300Lm / 4.5Hr)
MAX (950Lm / 4Hr)
STROBE (950Lm / 15Hr)
Size: 160 x 28 mm
Weight: 220g



UV PRO TWIST Light

\$110


PN: B75



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

Brightness: 1000 Lm
Intensity: 3000 Cd

Primary Beam:
LOW (100Lm / 20Hr)
MED (500Lm / 4Hr)
HIGH (1000Lm / 3Hr)
UV Light:
HIGH (395nm / 7Hr)
Size: 160 x 28 mm
Weight: 220g



Camo TWIST Light

\$110


PN: B70PLUS



- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

Brightness: 950 Lm
Intensity: 10000 Cd

Primary Beam:
LOW (10Lm / 100Hr)
MED (70Lm / 15Hr)
HIGH (300Lm / 4.5Hr)
MAX (950Lm / 4Hr)
STROBE (950Lm / 15Hr)
Size: 160 x 28 mm
Weight: 220g





Automotive Screw Kits

Japanese Sems Fine Hex Bolts

140 piece kit includes an assortment of M5x16, M5x20, M5x25, M6x16, M6x20, M6x25, M8x16, M8x20, M8x25 & M8x30 Japanese Automotive Fine Hex Sems screws.



\$47

PN: AAK01

Pan Compi (Sems) Machine Screws

180 piece kit includes an assortment of 8 types of Pan Compi Machine Screws, ranging from M3x25, M5x12, M5x16, M5x20, M5x25, M6x16, M6x20 & M6x25.



\$39

PN: AAK07

Japanese Sems Hex Bolts

50 piece kit includes an assortment of 8 types of Fine and Standard Course Japanese Automotive Hex Sems Screws ranging from M8x1.25x35 to M10x1.25x40.



\$51

PN: AAK02

DIN 912 Socket Head Cap Screws

120 piece kit includes an assortment of 10 types of DIN 912 (grade 12.9) Allen socket cap screws, ranging from M5x16 & M10x30.



\$44

PN: AAK17

Japanese Sems Hex Fender Screws

130 piece kit includes an assortment of 8 types of hex (sems) fender screws (JIS spec), ranging from No.8 (4.2 mm x 16) to No.14 (6.3 mm x 19).



\$46

PN: AAK03

DIN 916 Socket Head Grub Screws

300 piece kit includes an assortment of 8 types of DIN 916 (grade 10.9) Allen head grub screws, ranging from M4x10 & M6x16.



\$53

PN: AAK18

Mushroom Pozidrive Self Tapping Screws

200 piece kit includes an assortment of 8 types of Pozidrive Self Tapping Screws, ranging from M8 (4.2 mm x 19) to No.10 (4.8 mm x 30).



\$36

PN: AAK04

DIN 7991 C'sunk Socket Head Screws

160 piece kit includes an assortment of 10 types of DIN 7991 (grade 10.9) Allen socket countersunk screws, ranging from M4x12 to M10x30.



\$48

PN: AAK19

Automotive Electrical Kits

Spade, Flag, Butt & Bullet Connectors

110 piece kit includes an assortment of 19 types of spade, flag, butt & bullet connectors, in a variety of Blue Red & Yellow.



\$54

PN: AAK21

Mini Plug-in Blade & Ceramic Fuses

70 piece kit includes an assortment of 11 types of 5 AMP, 7.5 AMP, 8 AMP, 10 AMP, 15 AMP, 16 AMP, 20 AMP, 25 AMP & 30 AMP Ceramic and Mini Plug-In Blade Fuses.



\$50

PN: AAK27

Pre-Insulated Electrical Terminals

125 piece kit includes an assortment of 20 types of pre-insulated Round and Male Bullet electrical terminals, in a variety of Blue, Red, & Yellow.



\$54

PN: AAK22

Automotive Glass Tube & Blade Fuses

70 piece kit includes an assortment of 14 types of automotive glass tube & maxi-blade fuses.



\$44

PN: AAK28

Open End & Pin Electrical Terminals

105 piece kit includes an assortment of 19 types of open end & pin electrical terminals, in a variety of Blue, Red & Yellow.



\$54

PN: AAK23

Heat Shrink Tubing

171 piece kit includes tubing in standard colours & lengths of 30, 60, 90 mm & 1m, diameters between 2.0 & 10.0 mm, a thermal rating of -55 to 125°C, voltage rating up to 600V, a shrink ratio of 2:1 and compliances with RoHS, cRU, CSA.



\$37

PN: AAK33

Medium Blade Fuses

50 piece kit includes an assortment of 10 types of Medium Blade Fuses, ranging from 7.5 AMP, 10 AMP, 15 AMP, 20 AMP, 25 AMP, 35 AMP, 40 AMP Fuses.



\$39

PN: AAK24

Automotive Nut, Bolt & Stud Kits

Japanese Automotive Nuts

140 piece kit includes an assortment of 10 types of fine & course Japanese automotive nuts, ranging from M6x1.25 to M12x1.5.



\$38

PN: AAK06

Propshaft Bolts (Grade 10.9)

40 piece kit includes an assortment of 10 types of (Grade 10.9) propshaft bolts, ranging from M8x1x30 to M12x1.5x40.



\$72

PN: AAK25

Self Locking Nuts

100 piece kit includes an assortment of 9 types of Nyloc & All Metal Self Locking, in Extra Fine, Fine & Course, ranging from M6 to M12.



\$40

PN: AAK10

Durlock Flange Bolts & Flange Nuts

100 piece kit includes an assortment of 12 types of (Std Course Thread) DIN 6921 durlock flange Bolts & DIN 6923 flange nuts and bolts, ranging from M6x12 to M10x25.



\$64

PN: AAK26

Exhaust Manifold Studs & Nuts

80 piece kit includes an assortment of 8 types of exhaust manifold studs & nuts ranging from M8x1.25 to M10x1.5 Copper Nuts and M8x1.25x40 to M10x1.5x50 Studs.



\$76

PN: AAK11



Automotive Clip & Split Pin Kits

Speed Clips & Nuts

90 piece kit includes an assortment of 7 types of speed clips & nuts, ranging from (No. 10) 4.8 mm to (No.14) 6.3 mm Speed Clips and 5 & 6 mm Speed Nuts.



\$52

PN: AAK05

DIN 6799 Black Oxide E Clips

300 piece kit includes an assortment of 8 types of DIN 6799 black oxide e clips, ranging from M3, M4, M5, M6, M7, M8, M10 & M12.



\$41

PN: AAK20

DIN 94 Split Pins - Small Kit

300 piece kit includes an assortment of 9 types of DIN 94 split pins, ranging from 2 mm dia. x 25 mm to 5 mm dia. x 63 mm Split Pins.



\$41

PN: AAK08

DIN 94 Split Pins - Large Kit

500 piece kit includes an assortment of 10 types of DIN 94 split pins, ranging from 1.6 mm dia. x 32 mm to 5 mm dia. x 50 mm Split Pins.



\$61

PN: AAK09

Internal Circlips

120 piece kit includes an assortment of 16 types of internal circlips, ranging from M5 to M24.



\$44

PN: AAK29

External Circlips

120 piece kit includes an assortment of 16 types of external circlips, ranging from M5 to M24.



\$44

PN: AAK30

Automotive Grease Nipple Kits

Grease Nipples - Small Kit

50 piece kit includes an assortment of 8 types of grease nipples, ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90° & GN36 M8x1x45° Grease Nipples.



\$55

PN: AAK15

Grease Nipples - Large Kit

100 piece kit includes an assortment of 8 types of grease nipples ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90°, GN36 M8x1x45° Grease Nipples.



\$93

PN: AAK16

Automotive Washer Kits

DIN 7604A Soft Annealed Copper Washers

130 piece kit includes an assortment of 8 types of DIN 7604a Small Soft Annealed Copper Washers, ranging from M6 to M18.



\$58

PN: AAK12

Fibre Washers

250 piece kit includes an assortment of 8 types of Fibre Washers, ranging from M4 (4.3 x 9 x 0.8 mm) to M16 (16.1 x 22 x 0.8 mm).



\$50

PN: AAK13

DIN 6798 Internal & External Star Washers

300 piece kit includes an assortment of 10 types of DIN 6798 internal & external star washers, ranging from M5, M5, M6, M6, M8, M8, M10, M10, M12 & M12.



\$31

PN: AAK14

Automotive O-Ring Kits

Nitrile 70 Duro Shore A Imperial O-rings

225 piece kit includes an assortment of 18 types of nitrile 70 duro shore a imperial o-rings ranging from 3/32" ID x 1/16" (2.38 mm ID x 1.78 mm) to 13/16" ID x 5/32" (20.22 mm ID x 3.53 mm).



\$44

PN: AAK31

NBR-70 Standard Metric O-rings

386 piece kit includes an assortment of 30 types of NBR-70 standard metric o-rings ranging from 3.0 mm ID x 2.0 mm CS (R-01) to 44 mm ID x 4.0 mm CS (R-30).



\$70

PN: AAK32

Driver Kits

Pozidrive, Square & Magnetic Nut Setters

60 piece kit includes an assortment of 10 mm Magnetic Nut Setters, 3/8 Magnetic Nut Setters, No.1x25, No.3x25, No.3x50, No.2x25, No.2x50 Poz Bits, No.1x50 long Poz Bits, No.1x25, No.1x50, No.2x25, No.2x50 Square Drive Bits.



\$108

PN: HAK39

Washer Kits

Zinc plated Spring Washers

500 piece kit includes an assortment of 8 types of Zinc Plated Spring Washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



\$31

PN: HAK06

Heavy Duty Zinc Plated Flat Washers

500 piece kit includes an assortment of 8 types of heavy duty zinc plated flat washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



\$34

PN: HAK07

Rivet Kits

Aluminum Pop Rivets

300 piece kit includes an assortment of AS 40-10, AS 40-12, AS 48-10, AS 48-12, AS 48-15, AS 48-18 Aluminum Pop Rivets and AS 48-10 & AS 48-12 Aluminum White Pop Rivets.



\$34

PN: HAK15

Alum. C'sunk & Large Flange Pop Rivets

200 piece kit includes an assortment of 32-10, 48-12, 48-15, 48-18 Countersunk Rivets and 40-12, 40-15, 48-10, 48-15 Large Flange Rivets.



\$31

PN: HAK16

Penny Washer Kits

Small Fender (Penny) Washers

300 piece kit includes an assortment of M3x12.5, M4x 16, M4x12.5, M5x 16, M5x25, M6x 19, M6x22 & M6x32 Zinc Plated Fender (Penny) Washers.



\$39

PN: HAK13

Large Fender (Penny) Washers

150 piece kit includes an assortment of M6x25, M8x 19, M8x25, M8x32, M10x25, M10x30, M12x30, M12x40 Zinc Plated Fender (Penny) Washers.



\$31

PN: HAK14



Nut & Bolt Kits

Mild Steel Zinc Plated Nuts & Bolts

150 piece kit includes an assortment of 8 types of Mild Steel Zinc Plated M6 & M8 nuts & bolts, ranging from M6x25, M6x16, M8x20, M8x25, M8x30 & M8x40.



\$37

PN: HAK11

Zinc Plated Hex Nuts

200 piece kit includes an assortment of 8 types of DIN 934 Zinc Plated Hex Nuts, ranging from M4, M5, M6, M8, M10, M12, M14 & M16.



\$31

PN: HAK12

Nylon Self Locking Nuts

100 piece kit includes an assortment of 8 types of Nylon Self Locking Nuts, ranging from M4, M5, M6, M8, M10, M12 & M16.



\$31

PN: HAK37

Gutter Bolts & Square Pressed Nuts

300 piece kit includes an assortment of M6x12 to M6x60 Gutter Bolts and M6 Square Pressed Nuts.



\$39

PN: HAK17

Cheese Head Machine Nuts & Bolts

500 piece kit includes an assortment of 16 types of cheese head machine screws ranging from M3x10 to M6x40 & M6 nuts.



\$39

PN: HAK08

Countersunk Machine Screws & Nuts

300 piece kit includes an assortment of 10 types of zinc plated phillips & slot drive M4 & M5 hex screws and nuts.



\$36

PN: HAK09

Dome & Wing Nuts

150 piece kit includes an assortment M5, M6, M8 & M10 Dome Nuts and M4, M6, M8 and M10 Wing Nuts.



\$55

PN: HAK10

Self Tapping Screws

Pan Pozi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan pozi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



\$47

PN: HAK01

Pan Slotted Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan slotted self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



\$47

PN: HAK02

Pan Combi Self Tapping Screws

500 piece kit includes an assortment of 14 types of zinc plated pan combi self tapping screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



\$47

PN: HAK03

Countersunk Pozi Drive Chipboard Screws

400 piece kit includes an assortment of 8 types of countersunk pozi drive chipboard screws ranging from No. 6 (3.5 mm x 16) to No. 10 (4.8 mm x 40).



\$31

PN: HAK22

Countersunk Pozi Chipboard EAZI Drive Screws

300 piece kit includes an assortment of 8 types of Countersunk pozi chipboard EAZI Drive screws ranging from No. 4 (3 mm x 30) to No. 10 (4.8 mm x 40).



\$31

PN: HAK23

Wall Fasteners

Expansion Fixing Wall Plugs

200 piece kit includes an assortment of 8 types of expansion fixing wall plugs ranging from 4, 5, 5.5, 6, 7, 8, 10 & 11 mm.



\$29

PN: HAK19

Cable Clips

250 piece kit includes an assortment of 12 types of cable clips ranging from 3 to 14 mm Round Cable Clips and 1.5 to 5 mm Square Cable Clips.



\$39

PN: HAK33

Cup Hooks

60 piece kit includes an assortment of 9 types of cup hooks ranging from 16, 19, 25, 32, 38, & 50 mm Brass Plated and 32, 38 & 50 mm PVC Coated.



\$36

PN: HAK34

L Type Hooks

70 piece kit includes an assortment of 8 types of "L" type hooks ranging from 13, 16, 19, 23, 25, 32, 38 & 50 mm.



\$34

PN: HAK35

Coach Screws & Wall Plugs

100 piece kit includes an assortment of DIN 571 coach screws ranging from M6x30, M6x40, M6x50, M8x50, M6x75, M8x40, M8x60, M10x75 and 10 & 11 mm Wall Plugs.



\$41

PN: HAK36

Spring Toggles & Machine Screws

60 piece kit includes an assortment of M4, M5 & M6 Spring Toggles and M4x50, M4x75, M4x40, M5x50, M5x70, M6x50, M6x60, M6x70 cheese Head Machine Screws.



\$37

PN: HAK38

Anchored Hammer Drive Expansion Nails

100 piece kit includes an assortment of 8 types of expansion hammer drive nail ranging from M6x60, M6x50, M6x80, M8x60, M5x50, M6x40, M5x25 & M5x35.



\$37

PN: HAK18

Countersunk Pozi Self Tapping Screws

500 piece kit includes an assortment of 14 types of pozi self tapping zinc plated screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 25).



\$47

PN: HAK04

Countersunk Slotted Self Tapping Screws

500 piece kit includes an assortment of 14 types of slotted self tapping zinc plated screws ranging from No. 4 (2.9 mm x 16) to No. 12 (5.5 mm x 19).



\$42

PN: HAK05

Hardened Countersunk Chipboard Screws

300 piece kit includes an assortment of plasterboard screws ranging from 16, 25, 32 & 41 mm No.6 3.5 mm Screws and 25, 32, 50 & 75 No.8 4.2 mm Screws.



\$31

PN: HAK20

Brass Plated Wood Screws

300 piece kit includes an assortment of brass plated countersunk flat and round head wood screws ranging from No. 4 (3 mm x 16) to No. 12 (5.5 mm x 50).



\$55

PN: HAK31

Countersunk Wood Screws

200 piece kit includes an assortment of 10 types of countersunk slot drive wood screws ranging from No. 4 (2.9x16 mm) to No. 10 (4.8x30 mm).



\$39

PN: HAK40

Deburring Hex Body Handle with Pocket Clip

Aluminium 8 mm Hex body handle with pocket clip & non-replaceable C-10 blade.



\$8

PN: GD86110

Hex Body Handle with C-10 Blade

10 mm Hex Handle Deburring Tools A/F Hex. Aluminium body handle with replaceable GDSC10 blades.



\$15

PN: GD86060

Micro 2.6 mm Quick Release Deburrer

Holds all 2.6 mm Ø Deburring Blades. Includes Blade.



\$21

PN: GDMC1

6 mm Heavy Duty Quick Release Deburrer

- Removable cap for blade storage

6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with 6 mm General Purpose Blade (GDSR10S).



\$35

PN: GDSRSDMKK

Telescopic Multifunction Deburring Tool

Multi-Component Handle (GDSTSDMK) & blade holder

Includes Standard Deburring blades: GDSC10, GDSC15, GDSC20, GDSC30 & GDSC35



\$52

PN: GD38325

Double Deburrer

- Deburrs both sides of workpiece at same time
- Perfect for sheet metal finishing
- Finger guard

REPLACEABLE BLADES



\$29

PN: GDDB

24 Piece Deburring Set

Set includes a comprehensive range of Multi-Component and Quick Release Handles, 2.6, 3.2, & 6 mm Blades, Double Sided, Key-Way, Countersink Blades and a ceramic blade.

DEBURR ANYTHING FROM PLASTIC TO STAINLESS STEEL!



\$279

PN: GD38030

Quick Release Handle with 3.2 mm MC-blades

3.2 mm Standard Quick Release Handle (GDSDSDMK) with Multi-cutting Edge

Deburring blades: GDSC10, GDSC20, GDSC101



\$39

PN: GD38333

Ergonomic Deburring Tool & Blade Set

Quick Release Handle with 10 assorted 3.2 mm blades. Storage for blades in handle.

Set Includes:
3.2 mm Standard Quick Release Handle (GDSDSDMK)

Standard 3.2 mm Deburring blades:
2 x GDSC10, 2 x GDSC101,
2 x GDSC15, 2 x GDSC20,
1 x GDSC30, 1 x GDSC35



\$50

PN: GD38040

Hex-Drive Ratchet Handle

- Quick release locking collar firmly retains driver bit unless collar is depressed
- Ratchet direction collar with clockwise, anticlockwise and locked functions.



\$49

PN: GD46030

Hex-Drive Pipe Deburring Bits

- Quickly deburr internal & external edges of cylindrical work pieces with superior results.
- Can be used with power tools, by hand or with a Hex-Drive Ratchet Handle (PN: GD46030 Above)
- Made from (M2 Grade) HSS



REVERSIBLE SHANK

Drill not included.

Hex-Drive Pipe Deburring Tools

Range: 4-42 mm
Angle: 60°

\$185

PN: GD34265

Range: 4-42 mm
Angle: 45°

\$162

PN: GD34295

Pipe Deburring Hand Tools

Range: 4-42 mm
Angle: 60°

\$170

PN: GD34260

Range: 4-42 mm
Angle: 45°

\$140

PN: GD34290

Heavy Duty Hex-Drive Pipe Deburring Bits

Max Speed: 1,800 RPM

OD Range: 16-31 mm
ID Range: 16-35 mm
Angle: 45°

\$96

PN: GD16319-2F

OD Range: 16-31 mm
ID Range: 16-35 mm
Angle: 60°

\$99

PN: GD16316-2F

OD Range: 22-42 mm
ID Range: 22-46 mm
Angle: 45°

\$125

PN: GD22429-2F

OD Range: 22-42 mm
ID Range: 22-46 mm
Angle: 60°

\$149

PN: GD22426-2F

OD Range: 40-58 mm
ID Range: 40-62 mm
Angle: 45°

\$185

PN: GD40589-2F

OD Range: 40-58 mm
ID Range: 40-62 mm
Angle: 60°

\$210

PN: GD40586-2F

Riveting Tool

Medium Duty Riveting Tool

- Sets steel & aluminium rivets up to 4.8 mm (3/16")
- Sets Stainless Steel Rivets up to 4.0 mm (5/32")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$55
PN: GHTJ701

Heavy Duty Riveting Tool

- Sets steel, aluminium & stainless rivets up to 4.8 mm (3/16")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$110
PN: GHTTC20

Hex Key Sets

Metric 9 Piece Ball End Hex Key Set

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm

Imperial (SAE) 13 Piece Ball End Hex Key Set

Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8"

13 Piece Torx® Wrench Set

Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 & T50

13 Piece Tamperproof Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H & T50H



\$39
PN: GXHK9M

\$47
PN: GXHK13I

\$49
PN: GXTX13

\$49
PN: GXTX13

Tapping Wrenches

Tap Wrench

Range: M4 to M12
Length: 280 mm



\$33
PN: GTHW

T-Handle Ratchet Tap Wrench

- Forward, Locked & Reverse Ratchet
- Slidable T-handle



Range: 5M to 12M
Length: 120 mm
\$31
PN: GTHRW

Rivet & Nutsert Tool

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.

- Sets steel & aluminium rivets up to 4.8 mm & Nutserts up to M6
- Sets stainless rivets up to 4.0 mm & Nutserts up to M5
- Includes a selection of M3 to M6 nutserts

Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts

Heavy Duty Rivet & Nutsert Tool

- Sets steel & aluminium rivets up to 6.4 mm (1/4") AND nutserts up to M10
- Sets stainless steel rivets up to 4.8 mm (3/16") AND nutserts up to M8
- Space-Saving Foldable Handles
- Forged Main Arms

Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4 mm (1/4") Rivets and M4, M5, M6, M8 & M10 Nutserts



\$129
PN: GHTJ703A

INCLUDES NUTSERTS!



\$239
PN: GHTH3

Pistol Grip Nutsert Tools

- Average cycle time of 3 seconds
- Quick & simple to operate
- Fwd. / Rev. Toggle Switch

M6 Nutsert Tool

Free Speed: 360 RPM
M3, M4, M5, M8 & M10 mandrels available (sold separately)
Weight: 1.3 kg

\$769
PN: GP400B

M8 Nutsert Tool

Free Speed: 200 RPM
M10 & M12 mandrels available (sold separately)
Weight: 1.3 kg

\$789
PN: GP200B

Steel & Aluminium Nutserts

4 mm Max. sheet thickness



PACKS OF 50

M4 Aluminium PN: NM4RNA	\$33	M4 Steel PN: NM4PNS	\$20
M5 Aluminium PN: NM5RNA	\$41	M5 Steel PN: NM5PNS	\$24
M6 Aluminium PN: NM6RNA	\$44	M6 Steel PN: NM6PNS	\$27
M8 Aluminium PN: NM8RNA	\$49	M8 Steel PN: NM8PNS	\$33
M10 Aluminium PN: NM10RNA	\$59	M10 Steel PN: NM10PNS	\$39
		M12 Steel PN: NM12PNS	\$52

Air/Hydraulic Nutsert Gun

- Sets M4, M5, M6, M8, M10 nutserts in steel & aluminium
- Sets Stainless Steel nutserts up to M8
- Optional M3 anvil set

Traction Power: 3,640 Ft/lbs
Stroke: 6 mm
Weight: 1.55 kg



\$1100
PN: KP4253

1/4" Socket Set

- Chrome Vanadium Steel

Set includes Ratchet Wrench, Driver Handle, 50 MM Extension, Tee Bar & Universal Joint.

Standard Socket sizes:

4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, & 14 MM

Hex Bits: 3, 4, 5 & 6 MM

Phillips Bits: #1, #2, & #3

Pozidriv Bits: #1, #2 & #3

Slotted Bits: 3, 4 & 6 MM

Torx® Bits: T8, T9, T10 T15, T20, T25, T27, T30, & T40



**40
PIECE
SET**

**HOT
PRICE!**

\$59

PN: GXSS1440

3/8" Socket Set

- Chrome Vanadium Steel

Set includes Ratchet Wrench, 75 & 150 MM Extension Bars and Universal Joint.

Standard Socket sizes:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 & 22 MM

Deep Socket sizes:

10, 11, 12, 13, 14, 15, 17 & 19 MM

Spark Plug Socket: 16 & 21 MM



**29
PIECE
SET**

**HOT
PRICE!**

\$75

PN: GXSS3329

Hollow Punch Set

Set includes:

5, 6, 8, 9, 11 & 13 MM



\$35

PN: YC516

Helping Hand Magnifier

- Features a sturdy cast iron base, two articulated alligator clamps and magnifying glass.

Main Beam: 115 MM

Arm Reach: 75 MM

Lens Dia.: 60 MM



\$31

PN: GHMM

Gasket Punch Set

14 Piece set includes:

1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1", 1 1/8", 1-1/4", 1-3/8" & 1-1/2"



\$99

PN: GCPS

Gear & Bearing Splitting Combination Set

Small Bearing Separator

Jaw Range: 30-50 MM

Working Range: 0-135 MM

Large Bearing Separator

Jaw Range: 50-75 MM

Working Range: 0-180 MM

Includes Centre Adapter.

S45C Drop Forged hardened Main Beam and Bearing Separators.



\$229

PN: GBTK

Multi-Hydraulic Gear Puller Kit

Bearing Separator

S45C Drop Forged hardened Bearing Separator.

Working Range: 0-370 MM

Jaw Range: 75-105 MM

Gear Puller

Working Range: 25-185 MM

Set includes: Twin & Triple Leg Heads Hydraulic Ram (12 Ton capacity) Carbon Steel Beam 200 MM, 150 MM, & 100 MM arms 85 MM, 35 MM, Spacers, 25 MM Centre Adapter



\$579

PN: GHPK

Precision Screwdriver Set

65 piece set includes:

4 MM & 1/4" Driver Handles & Extension Bars

Hex: 0.9, 1.3, 1.5, 2.0, 3, 4, 5 & 6 MM

Slotted: 1.0 & 1.5, 2.0, 2.5, 3, 4, 5, 6 & 7 MM

Pozidriv: #0 to #3

Phillips: 000 to 3

Square: 0 to 3 MM

Sockets: 5 to 13 MM

Torx®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30 & T40



**65
PIECE
SET**

\$29

PN: GXBS1465

Magnetic Clean-Up Tools

Magnetic Clean-Up Wand

Capacity: 6.30 Kg

Length 400 MM

Weight 0.470 Kg



\$89

PN: MW001

Magnetic Reach Extender

Head size: 96 MM

Length: 960 MM

Capacity: 4.5 Kg



\$110

PN: MRE001

Magnetic Broom

- Side mounted wheels for easy use over wide areas
- Telescopic main shaft
- Easy release trigger on main shaft
- Wide section magnetic pickup

Handle Length:

720-1035 MM

Head width: 377mm

\$145

PN: MB001



SG420 Gravity Feed Air Brush



\$140
PN: SG420A

Nozzle: 0.2 mm
Working Pressure: 14-50 PSI
Fluid Capacity: 7 cc
Weight: 280 g

KH818 Gravity Feed Spray Guns



\$267 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 600 cc
Weight: 280 g

1.3 mm Nozzle PN: KH818M13
1.4 mm Nozzle PN: KH818M14
1.8 mm Nozzle PN: KH818M18
2.5 mm Nozzle PN: KH818M25

KH818 HVLP Gravity Feed Spray Guns



\$294 ea

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 600 cc
Weight: 514 g

1.3 mm Nozzle PN: KH818M13
1.4 mm Nozzle PN: KH818M14
1.8 mm Nozzle PN: KH818M18

K818 Suction Feed Spray Guns



\$273 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 1000 cc
Weight: 514 g

1.3 mm Nozzle PN: K818S13
1.8 mm Nozzle PN: K818S18
2.0 mm Nozzle PN: K818S20
2.5 mm Nozzle PN: K818S25

KH818 HVLP Suction Feed Spray Guns



\$308
PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 1000 cc
Weight: 514 g
Nozzle: 1.8 mm S-Steel

K357 Mini Gravity Feed Spray Guns



Working Pressure: 30-45 PSI
Fluid Capacity: 125 cc
Weight: 280 g

0.8 mm Nozzle

1.2 mm Nozzle

\$204
PN: K357M03

\$232
PN: K357M12

K818 Pressure Feed Spray Gun Systems



2 Litre Pressure Feed Spray Gun Systems

Features:

- 3 meter hose
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Tank handle/hanger

2 Litre Pressure Feed Tank

Tank dimensions:
130L mm x 130W mm x 445H mm
Capacity: 2 Litre
Max. pressure: 60 PSI
Weight total: 2.15 kg

1.2 mm Nozzle PN: PW2LTRK12
1.5 mm Nozzle PN: PW2LTRK15
1.8 mm Nozzle PN: PW2LTRK18
2.0 mm Nozzle PN: PW2LTRK20
2.5 mm Nozzle PN: PW2LTRK25

\$504 ea

10 Litre Pressure Feed Spray Gun Systems

Features:

- 3 meter hose
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Tank handle/hanger

10 Litre Pressure Feed Tank

Tank dimensions:
315L mm x 315W mm x 485H mm
Capacity: 10 Litre
Max. pressure: 60 PSI
Weight total: 10.1 kg

1.2 mm Nozzle PN: PW10LTRK12
1.5 mm Nozzle PN: PW10LTRK15
1.8 mm Nozzle PN: PW10LTRK18
2.0 mm Nozzle PN: PW10LTRK20
2.5 mm Nozzle PN: PW10LTRK25

\$720 ea

20 Litre Pressure Feed Spray Tank Systems

Features:

- 10 meter hose
- Stainless Steel Liner
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Manual Agitation

K818 Pressure Feed 20 Litre Pressure Feed Tank

Tank dimensions:
400L mm x 400W mm x 780H mm
Capacity: 20 Litre
Max. pressure: 60 PSI
Weight total: 26 kg

1.2 mm Nozzle PN: PW20LTRK12
1.5 mm Nozzle PN: PW20LTRK15
1.8 mm Nozzle PN: PW20LTRK18
2.0 mm Nozzle PN: PW20LTRK20
2.5 mm Nozzle PN: PW20LTRK25

\$1,441 ea

3/16" Medium Duty Riveter

- Suitable for Aluminium & Mild Steel rivets

Capacity:
2.4 MM (3/32") to 4.8 MM (3/16")
Traction power: 1045 Kg
Stroke: 16 MM
Weight: 1.56 Kg

Includes an Assortment of Aluminium Rivets & Spares

\$260

PN: FP4821AK



3/16" Compact Riveter with Vacuum Extraction

- Suitable for Aluminium & Mild Steel rivets
- Vacuum Mandrel collection
- Low Recoil Technology

Capacity: 2.4 MM (3/32") to 4.8 MM (3/16")
Traction power: 908 Kg
Stroke: 15 MM
Weight: 1.39 Kg

Ideal for the Aluminium Window Industry

\$840

PN: FP4082GVK



3/16" Heavy Duty Composite Riveter

- Suitable rivets of all materials
- Low Recoil Technology

Capacity: 2.4 MM (3/32") to 4.8 MM (3/16")
Traction power: 908 Kg
Stroke: 23.5 MM
Weight: 1.55 Kg

\$685

PN: FP4831C

1/4" Riveter with Vacuum Extraction

- Automatic mandrel collection
- Sets steel and stainless ONLY
- Swivel air inlet

Capacity: 4.8mm (3/16"), 5.6mm (7/32") & 6.4mm (1/4")
Traction power: 1645 Kg
Stroke: 15 MM
Weight: 1.8 Kg

\$725

PN: FP6481GVK

5/16" Heavy Duty Composite Riveter

- Vacuum mandrel collection
- Suitable rivets of all materials
- Swivel air inlet

Capacity: 3/16", 7/32", 1/4" & 5/16"
Traction power: 1723 Kg
Stroke: 22.5 MM
Weight: 1.8 Kg

Also Sets 1/4" Monobolt® Structural Rivets FP51631CVK ONLY

\$1250

PN: FP51631GVK



Commercial Sweepers

1 Year Commercial Warranty

2 Year Domestic Warranty

Hagga 355 Commercial Sweeper

Performance: 1600 m2/h
Cleaning Width: 550 MM
Capacity: 20 Liters
Weight: 7.2 kg

\$812

PN: HG355



Hagga 477 Commercial Sweeper

• Stores vertically in most closets (1550H x 780W x 300 MM)
Performance: 3,000 m2/h
Cleaning Width: 770 MM
Capacity: 50 Liters
Weight: 15 kg

\$1,523

PN: HG477

FITS IN MOST CLOSETS



Hagga 497 Commercial Sweeper

Performance: 3,600 m2/hr
Cleaning Width: 970 MM
Capacity 50 litres.
Weight: 15.7 Kg

\$1,875

PN: HG497



90° Keyless Drill Attachment

Chuck Capacity: 1.5-10 MM
Max. speed: 2,100 RPM
Size: 147 x 100 MM
Drive: 9 MM Hex
Weight: 490 g

\$185

PN: PORRADACL

13 MM Keyless Drill Chucks

Capacity: 1.5-13 MM

3/8" x 24 PN: PORTS13F38R

1/2" x 20 PN: PORTS13F12R

\$133 ea



13 MM Keyed Drill Chucks

Capacity: 1.5-13 MM
Body Dia.: 43mm
Chuck Key: KS2

16 MM Keyed Drill Chucks

Capacity: 1-16 MM
Outer diameter: 56 MM
Key Type: T7

20 MM Keyed Drill Chucks

Capacity: 5-20 MM
Outer diameter: 64 MM
Key Type: PORKS4B

JT6 PN: PORA13J6

B16 PN: PORA13B16

\$85 ea

JT6 PN: PORAP16J6

B16 PN: PORAP16B16

B18 PN: PORAP16B18

\$123 ea

\$222

PN: PORAP20J3



Keyless Drill Chucks

- Suitable for lathes, drilling & milling machines

Capacity: 1-13 mm
Mount: JT6

\$144

PN: POR37J6

Capacity: 3-16 mm
Mount: JT6

\$164

PN: POR40J6

Ejecting Drift

- Hardened and Black Oxide finish.



MT1/MT2
PN: PORDR12 **\$20**

MT2/MT3
PN: PORDR23 **\$20**

MT3/MT4
PN: PORDR34 **\$23**

MT4/MT5
PN: PORDR45 **\$32**



6" Random Orbital Sander

Orbit Diameter: 5 MM
Spindle: 5/16"x24 UNF
Free Speed: 12,000 RPM
Weight: 0.99 kg



UPGRADED MOTOR!

\$299

PN: BOS156A2

6" Random Orbital Dust-Free Sander

Orbit Diameter: 5 MM
Free Speed: 12,000 RPM
Spindle: 5/16 x 24 UNF
Weight: 0.99 kg



UPGRADED MOTOR!

\$325

PN: BOS1563A2

8" Geared Sanders

Orbit Diameter: 5 MM
Pad mount: 5 hole
Free Speed: 900 RPM
Weight: 1.88 kg



Standard

\$560

PN: BOS253GR-D1

Dust Free

\$599

PN: BOS253GRC-D1

1/2" Reversible Keyless Drill

Free speed: 800 RPM
Weight: 1.95 kg



\$275

PN: BDR203KLA1

3" Cut Off Tool



Free Speed: 21,000 RPM
Length: 188 MM
Weight: 0.8 kg

Cutting Disc not included.

\$142

PN: BGT1A1

3" Cutting Discs

Ø75 x 0.8 x Ø9.53 MM
Speed Rated to 25,000 RPM



\$25

PN: G0007K

Heavy Duty Air Hammer Kit

- Integrated piston cushion for lower vibration and less operator fatigue
- T handle design for better tool balance

Impact Rate: 2,900 bpm
Chisel shank: 10.2 MM
Weight: 1.73 kg

- Includes Air Hammer, 5 chisels & Quick Change Spring Retainer in blow-mount case



\$275

PN: BHA67A1

1/2" Twin Hammer Impact Wrench

- Light weight composite housing
- 4 speed air regulator
- Exhausts through handle, away from the work area

Free Speed: 8,000 RPM
Max Torque: 685 Ft/lbs (928 Nm)
Weight: 1.98kg



\$377

PN: BIT260M1

3/8" Butterfly Impact Wrench

- Swivel inlet
- Integrated regulator
- Rear exhaust

Free Speed: 11,000 RPM
Torque: 70 Ft-lbs
Length: 150 MM
Weight: 0.81kg



HOT PRICE!

\$149

PN: BIK107A1

1/4" Die Grinder

Free Speed: 20,000 RPM
Length: 165 MM
Weight : 0.55Kg



\$183

PN: BG210R

1/4" 115° Angle Die Grinder

Free Speed: 18,000 RPM
Output: 0.45 hp
Weight : 0.75 kg



\$225

PN: BG230RA1

1/4" Right Angle Die Grinder

- Light weight composite housing

Free Speed: 18,000 RPM
Length: 183 MM
Weight: 0.8 kg



\$199

PN: BG220RA1

Extended 1/4" Die Grinder

Free Speed: 21,000 RPM
Length: 280 MM
Weight: 0.80 kg



\$199

PN: BG215RA1

Nail Gun Oil

Basso Premium Nail Gun Oil is formulated to prolong the performance of your Basso nail gun in both warm and cold climates. Adding only a couple of drops daily to the air inlet will greatly reduce internal wear and maintain the integrity of the gaskets and seals.

250 ml
Bottle

\$15
PN: B0250

1 Litre
Bottle

\$24
PN: B01000



Countersink & Nail Remover

Pin Dia.: 4.8 MM
Nail Dia.: 2-4 MM
Weight: 0.80 Kg

\$346
PN: BPULLER



**GREAT FOR
TIMBER FRAME
DEMOLITION!**

**REMOVE
ASBESTOS SHEETS
IN ONE PIECE!**

Medium Duty C Brad Nailer

Shank: 1.4x1.6 MM (16 gauge)
Nail Length: 19-50 MM
Capacity: 100 brads
Weight: 1.54 Kg



\$315
PN: B1650LA1

50 MM C1 Series Bradder

Shank: 1x1.25 MM (18 Gauge)
Nail Length: 15-50 MM
Capacity: 100 brads
Weight: 1.25 Kg



\$265
PN: B1850A1

97 Series Stapler

Staple Crown: 4.5 MM (97 Series)
Staple Length: 10-25 MM
Capacity: 142 staples
Weight: 1.2Kg



\$244
PN: BS9725B1

T-Nailers

Nail Length: 18-64 MM
Capacity: 80 nails
Weight: 2.55 Kg

2.2 mm Nail Shank PN: BT2264A1

2.5 mm Nail Shank PN: BT2564A1

\$499 ea



Heavy Duty Coil Nailer

Shank: 2.03-2.8 MM
Nail Length: 32-65 MM
Capacity: 200-400 nails
Weight: 2.3 Kg



0° Angle
\$699
PN: BC2865F1

15° Angle
\$699
PN: BC2865D1

80 Series Stapler

Staple Crown: 12.8 MM (80 Series)
Staple Length: 6-16 MM
Capacity: 100 Staples
Weight: 0.90 Kg



\$199
PN: BN8016E

C1 Series Bradder

Shank: 1x1.25 MM (18 Gauge)
Nail Length: 10-32 MM
Capacity: 100 brads
Weight: 0.68 Kg



\$199
PN: B1832PA2

Heavy Duty C Brad Nailer

Shank: 1.4x1.6 MM (16 Gauge)
Nail Length: 19-50 MM
Capacity: 100 nails
Weight: 1.9 Kg



\$389
PN: B1650B1

34° DA Nailer

- Swivel exhaust
- Depth adjustment
- Angled air inlet

Shank: 1.8 MM (15 Gauge)
Nail Length: 25-64 MM
Capacity: 100 Nails
Weight: 1.95kg



\$397
PN: BA3464A1

90 MM Angle Framing Gun

- Easy to use Depth Adjuster
- Adjustable Joist Hanger
- Protective cover on safety
- Single & Bump Fire modes

Shank: 2.9-3.3 MM
Nail Length: 50-90 MM
Capacity: 90 nails
Weight: 3.50 Kg



\$591
PN: BA3490F1

Tyre Inflators

Dual Tyre Chuck

Inlet: JIS standard fitting
Output: Schrader Valve



\$19

PN: GPA051

Flexible Tyre Chuck

Inlet: JIS standard fitting
Output: Schrader Valve



\$21

PN: GPATC-2

0-60psi Tyre Pressure Gauge

Range: 0-60 PSI.
Metering: Analogue
Units: PSI & Bar
Output: Schrader valve



\$40

PN: GPATPG60

Dual Access Tyre Chuck

Inlet: 1/4" Female
Output: Schrader Valve x 2
Length: 220 MM



\$34

PN: GPA1570

Dual Access Tyre Water Chuck

Inlet: 15 MM male garden
Output: Schrader Valve x 2
hose fitting
Length: 220 MM



\$37

PN: GPA1570W

Pistol Grip Tyre Inflator

- Large easy to read gauge
- Integrated purge valve
- Tyre chuck with locking lever



\$85

PN: GPA016

Range: 0-220 PSI
Metering: Analog
Units: PSI, Bar, KPA

Digital Tyre Inflator

Measuring range: 5-60 PSI
Hose Length: 30 cm
Units: PSI, Bar, kPa



\$149

PN: GP1558-4

Deluxe Tyre Inflator

Range: 0-160 psi
Units: PSI, KPA



\$142

PN: GPA6200

Blowguns

Long Nose Air Duster

- Cast aluminium body, metal trigger & nozzle.

Inlet: 3/8" Nitto fitting
Nozzle size: 4.5 x 70 MM



\$26

PN: GPA9025

ALL METAL BODY!

3/8" High Flow Blow Gun Kit

Kit includes:
High Flow Duster,
Easily Adjustable High
Flow Nozzle, Heavy Duty High
Flow Nozzle & Standard Nozzle.



\$65

PN: GHF60AS

ALL METAL BODY!

Integrated Blow Gun

- Light weight Polymer body with 1/4" steel inlet & 2 metre fitted hose



\$62

PN: GPB90K

Pocket Blow Gun

- Integrated metal inlet thread
- Rubber Tip

Length: 115 MM
Inlet: JIS Fitting
Material: Aluminium



\$15

PN: PBG-N

4" Rubber Tipped Blowgun

- Integrated metal inlet thread
- Rubber Tip

Length: 110 MM
Material: POM/Steel



\$19

PN: GP1562

Extendable Blow Gun

Length: 270 to 390 MM
Material: POM/Steel



- Metal inlet for increased durability
- Adjustable length & angle
- Locking ring

\$34

PN: GP1562E

1 Metre Blow Gun

Overall Length: 1050 MM
Inlet: 1/4" metal
Material: POM / Aluminum



\$75

PN: GP1561

ALL METAL BODY!

Filter Cleaning Nozzle

Suitable for cleaning cylindrical filters or pipes.

SOLD SEPARATELY

Size: 15.5 dia. x 40 MM
Nozzles: 12 x 2mm



\$23

PN: GP1561FN

Wonder Gun Kit

- Quickly change between vacuum & blow with an integrated switch
- Heavy duty metal body

Kit includes: Blow Gun, Vacuum Hose, brush, extended small & flat nozzles, Extendable Hose (30 to 80cm) & Dust Bag



\$119

PN: GPA0310KB

Surface Preparation

10 MM Belt Sander

Belt Size: 10 x 330 MM

\$269

PN: GP1234A



20 MM Belt Sander

Belt Size: 20 x 520 MM

\$419

PN: GP1265A

5" Disc Sander

Includes 3", 4-1/2" & 5" fibre pads, for 22 MM hole abrasives, thread adapter for 50 MM pad & 50 MM abrasive pads

Spindle Size: 3/8 x 24 UNF
Free Speed: 16,000 RPM
Weight: 1.2 Kg

\$159

PN: GP1204R



6" Dual Action Sander

Pad Size: 6" (150 MM) Velcro
Free Speed: 9,000 RPM
Orbit Diameter: 7 MM
Weight: 2.0 Kg

\$179

PN: GP1205N



Straight Line Sander

- Takes 70 x 445 MM clip on paper.
- Ideal for flat panel automotive work.

Pad Size: 397 x 68 MM
Free Speed: 2,500 RPM
Weight: 2.5 Kg

\$239

PN: GP1203



Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within it's 180° range.

Kit includes:
five 105 MM (4 inch) stripping wheels,
Spare disc hub & carry case.



\$699

PN: GP2001A

Stripping Wheels

- 1 0.5 MM Straight Wire PN: GPA2001A-1
- 2 0.55 MM Hooked Wire PN: GPA2001A-2
- 3 Abrasive Stripping PN: GPA2001A-5
- 4 Caramel Stripping PN: GPA2001A-4
- 5 0.7mm Hooked Wire PN: GPA2001A-3

\$49 ea

Air Body Saw

Free Speed: 10,000 opm
Capacity: 3 MM mild steel
Stroke length 9.5 MM



\$249

PN: GP9301

Quality Bi-metal Blades

18 TPI Pack of 5

PN: PT301A18

24 TPI Pack of 5

PN: PT301A24

32 TPI Pack of 5

PN: PT301A32



\$29 ea

Sandblasters

All-In-One Sandblaster

- Light weight all in one design
- Ideal for spot and rust removal on small areas

Nozzle Size: 5.2 MM
Capacity: 266cc

Sand Blasting Kit

Includes 3 extra nozzles,
hose and tube.
Siphon feed
Weight: 0.9 Kg



\$69

PN: GPASB100

\$85

PN: GP909

Heavy Duty Angle Grinders



4" Heavy Duty Angle Grinder

Spindle: M10 x 1.5
Free Speed: 11,000 RPM
Weight: 1.95 Kg

\$329

PN: GP3102

5" Heavy Duty Angle Grinder

Spindle: M14 x 2.0
Free Speed: 11,000 RPM
Weight: 1.95 Kg

\$367

PN: GP31003

7" Sander



Free Speed: 4,500 RPM
Spindle: Male 5/8-11UNC
Avg Air Cons.: 12 CFM
Weight: 2.6 Kg

\$339

PN: GP1206A

Punch & Flange Tool

Capacity: 1.2 MM Mild Steel
Flange Capacity: 14 MM
Hole Punch Diameter: 5 MM
Weight: 1.1kg

\$249

PN: GP9201



Cut Off Tools

3" Cut Off Grinder



Disc Size: 3" (75 MM)
Free Speed: 22,000 RPM
Weight: 0.8 Kg

\$129

PN: GP3201

Air Nibbler

Cutting Capacity:
1.4 MM steel
1.6 MM aluminium
Free Speed: 2900 SPM
Weight: 0.9kg

GREAT FOR CUTTING CURVES.



\$219

PN: GP9101

Impact Wrenches

1/2" Impact Wrench

- Kit includes 10 sockets, 9, 10, 11, 13, 14, 17, 19, 22, 24 & 27 mm
- Single Hammer

Max Torque: 260 ftlb
Bolt Capacity: 16 mm
Free Speed: 7,000 RPM
Weight: 2.0 Kg



\$189
PN: GP504K



\$299
PN: GP260T

1/2" Impact Wrench

Max Torque: 500 Ft/lbs
Nett Weight: 2.0 Kg



\$679
PN: GP3125


3/4" Impact Wrench

Max Torque: 1100 Ft/lbs
Nett Weight: 3.48 Kg

Heavy Duty Ratchet Wrenches

- Front exhaust

Max Torque: 75 ft/lbs
Free Speed: 200 RPM
Weight : 1.2 Kg



3/8" Drive PN: GP5203

1/2" Drive PN: GP5204

\$189 ea

DIE GRINDERS

1/4" Medium Die Grinder

Free Speed: 22,000 RPM
Weight: 0.675 Kg



\$89
PN: GP2202

1/4" Medium Die Grinder

- Polymer sleeved for comfort

Free Speed: 21,000 RPM
Weight: 0.833 Kg



\$119
PN: GP2202R

1/4" Medium Die Grinder Kit

- Kit includes 1/8" & 1/4" collets and a range of 10 grinding stones



Free Speed:
22,000 RPM
\$119
PN: GP2202K

1/4" Angle Die Grinder

Free Speed: 18,000 RPM
Weight: 0.833 Kg



\$188
PN: GP2203R

REVERSIBLE DRILLS

Reversible 3/8" Drill

Free Speed: 1,800 RPM
Chuck Size: 10 mm
Weight : 1.36 Kg



\$179
PN: GP41013

Reversible 3/8" Keyless Drill

Free Speed: 1,800 RPM
Chuck Size: 10 mm
Weight : 1.36 Kg



\$199
PN: GP41013K

1/2" Reversible Drill

Free Speed: 800 RPM
Drilling Capacity: 13 mm
Weight : 1.76kg



\$249
PN: GP4204

3/8" Reversible Angle Drill

- Forward / Reverse Toggle Switch
- Rear exhaust

Free Speed: 1500 RPM
Capacity: 10 mm
Weight: 1.02kg



\$289
PN: GP4209

Air-Hydraulic Riveters

3/16" Automotive Rivet Gun

Rivet Capacity: 3/32, 1/8, 5/32, 3/16"
Traction Power: 1950 lbs
Weight: 1.5 Kg



\$299
PN: GP1121D

3/16" Industrial Rivet Gun

Rivet Capacity:
1/8, 5/32 & 3/16"
Traction Power:
1980 lbs
Weight: 1.45 Kg



\$389
PN: GP6302

9/32" Industrial Rivet Gun

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity: 3/16", 1/4", 5/32" & 9/32"
Traction Power: 3,120 lbs
Weight: 3.4 Kg



\$759
PN: GP6304

**SUITABLE
FOR STAINLESS
RIVETS!**

7" Polisher



\$339
PN: GP1206P

Free Speed: 2,500 RPM
Spindle: Male 5/8-11UNC
Avg Air Cons.: 12 CFM
Weight: 2.6 Kg

Hammering Tools

Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 mm needles

Stroke Length : 33 MM
Impact Rate: 4,600 BPM
Overall length: 420 MM
Weight: 2.8 kg



\$369
PN: GP201

Straight Needle Scaler Kit

- Includes Moil Point, 20 mm Flat, 35 mm Bents & Needle Scaler Attachment in plastic carry case

Impact Rate : 4600 BPM
Overall length : 460 MM
Piston Stroke : 38 MM
Weight : 2.1 kg



\$459
PN: GP268K

Air Hammer Kit

Kit includes 5 Chisels, Spring Retainer, Oiler & Case.

Free Speed: 3,000 BPM
Stroke Length: 19.05 MM
Shank Size: 10.2 MM
Weight: 1.70 kg



\$129
PN: GP102KD

Heavy Duty Air Hammer

- Includes 5 chisels & spring retainer

Impact Rate: 2,200 BPM
Shank Size : 10.2 MM (round)
Stroke Length : 92 MM
Weight : 2.05 kg



\$169
PN: GP112K

Set of 2 Spring Retainers

- Suits 10.2 mm round chisels



\$18
PN: GPA70X2

Heavy Duty Quick Change Spring Retainer

- Fits most standard air hammers & chisels



\$49
PN: GPA2311

38 MM Flattening Hammer



\$55
PN: HAG-100

Needle Scaler Attachment

- Mounts to most standard air hammers
- Replacement needles available



Needle Array: 19 Needles
Needle size: 3 x 180 MM

\$99
PN: GP60012

7" Chisel Set

- 5 piece set includes 20 mm Cold Chisel, Single Blade Cutter, Tapered Punch, Panel Cutter & Rivet Cutter

Shank Dia.: 10.2 MM



\$49
PN: GPA57

HOT PRICE!

Air & Manual Grease Gun

- Takes standard 450 cc cartridge

Kit includes one cannister, manual & pneumatic heads



\$149
PN: GP1081D

1/8" Micro Die Grinder Kit

Free Speed: 55,000 RPM
Includes 10 grinding stones



\$229
PN: GP2204K

Percussive Engraving Stylus

- Medium point stylus included
- Fine & wide point stylus also available

Inlet: 1/4" Male thread
Hose Length: 1.43 m
Weight: 0.40 kg



\$299
PN: GP110

Air Caulking Gun

- Aluminium body

Pressure Range: 45-90 PSI
Cartridge Size: 310 CC
Weight: 1.3 kg



\$89
PN: GP208

Engine Cleaner Gun

- Siphon type, designed to connect to an external degreaser supply
- Flow rate control with adjustable nozzle
- 1.2m hose with built in filter

Length: 405 MM



\$56
PN: GPA1565

Engine Cleaner with Bowl

- Ideal for cleaning cars, trucks, bikes and marine

Bowl capacity: 700 cc
Length: 410 MM



\$98
PN: GPA034

Rotary Tool Kit

206 Piece set includes, diamond & HSS cutters & twist drills, grinding, cloth, felt, emery & flap wheels, rotary brushes, sanding & cut off discs, polishing compound & dressing stone

**206
PIECE
SET**



\$78
PN: RTK206

Dual Chuck Tyre Inflator

Units: PSI, kg/cm2, KPA & Bar
Air Flow: 1.28 CFM @ 100 PSI
Range: 0-220 PSI
Hose Length: 750 mm
Weight: 1.2 Kg

**Ideal for
Truck Tyres**



\$199

PN: KP79G07

Heavy Duty Air Caulking Gun

\$279

PN: KP4613



Takes 50 mm diameter sausages
400, 500 & 600 ml sizes.
Air pressure: 45-90 PSI
Length: 550 mm
Weight: 0.9 Kg

Through Ratchet Wrench

- Included socket sizes:
8, 10, 12, 13, & 14 mm
5/16, 3/8, 7/16, 1/2 and 9/16"
1/4" & 3/8" anvils

**Includes
10
Sockets**



Free Speed: 450 RPM
Max. Torque: 30 Ft/lbs
Weight: 0.60 Kg

\$367

PN: KP2249

1/2" Compact Impact Wrench

Free Speed: 9,500 RPM
Max. Torque: 500 Ft/lbs
Weight: 1.65 Kg

1/2" Impact Wrench

Free Speed: 9,500 RPM
Max Torque: 1,000 Ft/lbs
Weight 2.30 Kg

**Max Torque
1,000
Ft/lbs**



**97 mm
Head**

\$356

PN: KP1479



\$373

PN: KP1483

3/4" Impact Wrench

Free Speed: 6,500 RPM
Max Torque: 750 Ft/lbs
Nett Weight: 4.55 Kg

**6" Extended
Anvils Available.**

\$692

PN: KP1023



Compact Needle Scaler



Impact Rate: 3,700 BPM
Overall Length: 350 mm
12 Needles Ø3 x 125 mm

\$279

PN: KP4714

Heavy Duty Chipping Hammer

- Moil Point & Flat Chisels available
- Side Exhaust



Stroke: 102 mm
Impact Rate: 1500 BPM
Length: 350 mm
Weight: 9 Kg

\$899

PN: KP4735S3H

4" Heavy Duty Extended Cut Off Tool

- Extended reach and ultra compact 39mm head is ideal for hard to access spaces



**Quick Release
Adjustable
Guard!**

Free Speed: 14,000 RPM
Length: 345mm
Weight: 0.45 Kg

\$469

PN: KP4413

Pistol Grip Needle Scaler



Impact Rate: 3,700 BPM
Overall Length: 350 mm
19 Needles Ø3 x 180 mm

\$399

PN: KP4722P

Pittsburgh Air Hammer



- 360° Adjustable Anvil Guide

Impact Rate: 4,200 RPM
Stroke: 50 mm
Weight: 2.20 Kg

\$289

PN: KP4711PH

3/8" Heavy Duty Drill

- Side mounted speed regulator

**HOT
PRICE!**



Free Speed: 2300 RPM
Spindle: 3/8-24 UNC
Chuck Cap.: 3/8"
Weight: 0.83 Kg

\$149

PN: KP5302

1" Super Duty Impact Wrench

Free Speed: 5,000 RPM
Max. Torque: 1,800 Ft/lbs
Weight: 7.10 Kg

\$1399

PN: KP1838A-P



1" Super Duty Impact Wrenches

Free Speed: 5,500 RPM
Max. Torque: 1,600 Ft/lbs
Air Inlet: 1/2"

Length: 325 mm
Weight: 5.8 Kg

\$1299

PN: KP1835



3/4" Heavy Duty Impact Wrench

Free Speed: 5,500 RPM
Max Torque: 1100 Ft/LBS
Nett Weight: 5.6 Kg

\$999

PN: KP1030



1" HD Impact Wrench

- Rubber body protection
- 4 power settings with forward & reverse selector
- Side handle

Free Speed: 3,500 RPM
Max. Torque: 2,500 Ft/lbs
Length: 436 mm
Air Inlet: 1/2"
Weight: 15.55 Kg

\$2499

PN: KP1045



**2,500
Ft/lbs**

1.5" Variant
PN: KP1050 \$2899

Regulators



1/4" Regulator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM

\$49

PN: THBR202

1/2" Regulator

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Max Flow: 105.94 CFM

\$59

PN: THBR304

3/4" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM

\$159

PN: THBR906

1" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM

\$159

PN: THBR908

In-line Components

1/4" In-line Water Separator

1/4" NPT Female to Male



\$33

PN: GPA1512

1/4" In-line Lubricator

1/4" NPT Female to Male
Capacity: 15 mL



\$28

PN: GPA1025

1/4" Mini Filter Regulator

Max Press.: 280 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Filter Element: 5 µm

\$81

PN: THBFR212



1/4" Mini Filter Regulator & Lubricator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Oil Capacity: 30 mL
Filter Element: 5 µm

SUPER COMPACT!
140W x 135H mm



\$83

PN: THBC202

Filter Regulators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Drain Capacity: 80 mL
Filter Element: 5 µm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR804



\$69 ea

3/4" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM
Drain Capacity: 300 mL

PN: THBFR926A

1" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM
Drain Capacity: 300 mL

PN: THBFR928A

\$295 ea



AUTO-DRAIN FUNCTION

Filter Regulator + Lubricators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Oil Capacity: 125 mL
Filter Element: 5 µm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFLR804



\$125 ea

Filters

1/2" Filter

Port Size: 1/2" NPT
Max Press.: 215 PSI
Max Flow: 105.94 CFM



\$65

PN: THBF804

1/2" Auto Drain Filter

Port Size: 1/2" NPT
Max Press.: 225 PSI



\$93

PN: THBD704A

Lubricators

Max Press.: 215 PSI
Oil Capacity: 125 mL

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBL804

\$69 ea



Premium Compressor Oil

- Specially formulated additives give superior protection against wear and corrosion
- Excellent water & air separation, to ensure reliable operation with minimal foaming and emulsification

\$31

PN: COMPOIL1



20m Manual Hose Reel

- High quality Polyurethane braided hose
- Space Saving Foldable Handle
- 360 degree swivel base

Hose ID: 8 MM
Hose OD: 12 MM

\$289

PN: GPHR1220



20m Wall Mount Hose Reel

- 180° swivel bracket
- 1.5 metre inlet hose
- High quality braided polyurethane hose
- Sheet metal housing
- Adjustable recoil stopper
- Shrouded air line socket

Hose ID: 6.5 MM
Hose OD: 10 MM

\$299

PN: GPHR1020



Premium Air Tool

Add only a couple of drops daily to prolong the performance of any air operated tool

Formulated to greatly reduce internal wear and maintain the integrity of gaskets and seals



250 ML

\$12

PN: SI250

1 Litre

\$26

PN: SI1000

5 Litre

\$94

PN: SI5000

20 Litre

\$288

PN: SI20LT

Swivel Connectors

Male thread to Japanese Style Plug
Range: 22°

1/4" Thread PN: B05

3/8" Thread PN: B07

\$19 ea



In-Line Components

2 Way Cluster Quick Coupler



\$34

PN: GPA1513

3 Way Cluster Quick Coupler



\$41

PN: GPA1514

In-line Regulators

1/4" Air Flow Regulator

\$20

PN: GPA1010

1/4" Air Flow Regulator with Male plug

\$20

PN: GPA1011



2 Way In-line Quick Coupler



\$34

PN: GPA1515

3 Way In-line Quick Coupler



\$41

PN: GPA1516

4 Way In-line Quick Coupler



\$46

PN: GPA1517

Bare Air line Manifolds

2 Way Bare Cluster Manifold

Inlet: 1/4" female NPT
1/2" Male NPT
Outlet: 2 x 1/4" Int. NPT



\$19

PN: GPAYA2

3 Way Bare Cluster Manifold

Inlet: 1/4" female NPT
1/2" Male NPT
Outlet: 3 x 1/4" Int. NPT



\$21

PN: GPAYA3

2 Way In-line Bare Manifold

\$19

PN: GPATA2

3 Way In-line Bare Manifold

\$20

PN: GPATA3

4 Way In-line Bare Manifold

\$21

PN: GPATA4



Bare Air Line Hose



10 MM Bare Air Hoses

20m Roll

\$52

PN: AH1020

30m Roll

\$89

PN: AH1030

100m Roll

\$259

PN: AH10100

12 MM Bare Air Hoses

20m Roll

\$89

PN: AH1220

30m Roll

\$129

PN: AH1230

100m Roll

\$398

PN: AH12100

One-Touch Connector Kits

- Kit includes Hose Clamps, One-Touch Socket & Plug fittings

10mm Kit

PN: AHPACK

\$30

12mm Kit

PN: AHPACK12

\$39



One-Touch Fitted Air Hoses

Fitted with Japanese compatible One-Touch couplings.



10 MM Fitted Air Hoses

10 MM ID

10 Metre

PN: AH1010F **\$49**

20 Metre

PN: AH1020F **\$79**

30 Metre

PN: AH1030F **\$99**

12 MM Fitted Air Hoses

12 MM ID

20 Metre

PN: AH1220F **\$110**

30 Metre

PN: AH1230F **\$149**



AVAILABLE IN 100M LENGTHS

One-Touch Recoil Air Hoses



- One-Touch couplings
- Made from kink resistant polyurethane

10 MM Air Hoses

6.5 MM ID x 10 MM OD

2 Metre

PN: GPH1003LBHL **\$54**

5 Metre

PN: GPH1006LBHL **\$68**

6 Metre

PN: GPH1008LBHL **\$74**

8 Metre

PN: GPH1010LBHL **\$88**

12 MM Air Hoses

8 MM ID x 12 MM OD

5 Metre

PN: GPH1206LBHL **\$74**

6 Metre

PN: GPH1208LBHL **\$88**

8 Metre

PN: GPH1210LBHL **\$92**

10 Metre

PN: GPH1212LBHL **\$99**

IMPACT UNIV. JOINTS



3/8" Drive Universal Joint
Overall Length 50 MM
\$26
PN: GX38U

1/2" Drive Universal Joint
Overall Length 63 MM
\$28
PN: GX12U

3/4" Drive Universal Joint
Overall Length 90 MM
\$54
PN: GX34U

Molybdenum Steel CR-MO.

SOCKET & EXTENSION BAR SETS

1/2" Thin Wall Sockets & Torque Extension Bar Set

- Chrome Molybdenum
- Teflon sleeved

Sizes:
17, 19, 21 MM & 3/16"
Torque Bars sizes:
65, 80, 100 & 120 Ft/lbs



\$209
PN: GPA159C

1/2" Drive Thin Wall 3 Piece Impact Socket Set

- Teflon sleeved sockets for protecting alloy wheels surfaces from scuffing.
- Cast with Chrome molybdenum steel.

Sizes: 17, 19 & 21 MM



\$57
PN: GPA159A

5 PIECE SQUARE DRIVE ADAPTER SETS

\$29
PN: GX5AS



Standard 5 Piece Adapter Set

- Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male

\$39
PN: GX1AS



5 Piece Impact Adapter Set

- Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male

WOBBLE IMPACTING BAR SETS

Made from Chrome Molybdenum Steel CR-MO.



1/4" Wobble Extension Bar 5 Piece Set

Kit includes:
3", 6", 10" & 12" bars

\$54
PN: GXWEBS14

3/8" Wobble Extension Bar 4 Piece Set

Kit includes:
3", 6", 10" & 18" bars

\$78
PN: GXWEBS38

1/2" Wobble Extension Bar 4 Piece Set

Kit includes:
3", 5", 10" & 18" bars

\$90
PN: GXWEBS12

SOCKET SETS

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

3/8" DRIVE SOCKET SETS

3/8" 8 Piece Metric
PN: GX838SSM

Sizes: 8, 10, 11, 12, 13, 15, 17 & 19 MM

3/8" 8 Piece Imperial
PN: GX838SSI

Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"



HOT PRICE!
\$59 ea

1/2" DRIVE SOCKET SETS

1/2" 13 Piece Metric
PN: GX1312SSM

Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 MM

1/2" 13 Piece Imperial
PN: GX1312SSI

Sizes 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"



HOT PRICE!
\$129 ea

3/4" DRIVE SOCKET SETS

3/4" 8 Piece Metric
PN: GX834SSM

Sizes: 26, 27, 29, 30, 32, 35, 36 & 38 MM

3/4" 8 Piece Imperial
PN: GX834SSI

Sizes 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"



HOT PRICE!
\$199 ea

Impact Hex & Torx® Bit Sets

Made from SNCM 8660 Steel which allows 20% more torque than CR-MO.

1/2" 8 Piece Metric
PN: GX12HBSM

Sizes: H5, H6, H8, H10, H12, H14, H17 & H19 MM

1/2" 8 Piece Imperial
PN: GX12HBSI

Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4"



\$95 ea



1/2" Torx® Impact Socket Set

Sizes: T25, T27, T30, T40, T45, T50, T55 & T60 bits

\$95
PN: GX12TX8

3/4" Drive Budd Wheel Impact Sockets

Removes studs on dual-wheel hubs. To suit Isuzu, Hino, Mitsubishi, Fuso and most European trucks



17 MM Square:
PN: GXBWS3417

19 MM Square:
PN: GXBWS3419

\$37 ea

Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 MM Quick-Lock Backing Pad

\$21

PN: GPA1523K

75 MM Quick-Lock Backing Pad

\$28

PN: GPA1524K

Quick-Lock Ceramic Sanding Discs

Packs of 10

50 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22012S36CP

60 Grit PN: AB22012S60CP

80 Grit PN: AB22012S80CP

120 Grit PN: AB22012S120CP

\$39 ea

75 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22013S36CP

60 Grit PN: AB22013S60CP

80 Grit PN: AB22013S80CP

120 Grit PN: AB22013S120CP

\$39 ea

Quick-Lock Ceramic Flap Discs

Packs of 5

50 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22012F40CP

60 Grit PN: AB22012F60CP

80 Grit PN: AB22012F80CP

120 Grit PN: AB22012F120CP

\$29 ea

75 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22013F40CP

60 Grit PN: AB22013F60CP

80 Grit PN: AB22013F80CP

120 Grit PN: AB22013F120CP

\$35 ea

Quick-lock Abrasive Pads

Packs of 10



Blue 50 MM Fine
PN: GPA1527X10

Maroon 50 MM Medium
PN: GPA1528X10

Brown 50 MM Coarse
PN: GPA1526X10

\$37 ea

Blue 75 MM Fine
PN: GPA1530X10

Maroon 75 MM Medium
PN: GPA1531X10

Brown 75 MM Coarse
PN: GPA1529X10

\$66 ea

Quick-Lock Preparation Kits

2" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 2" backing pad, 24 grit 2" disc, 36 grit 2" disc, 50 grit 2" disc, Brown (Coarse) surface prep 2" disc & Maroon (Medium) surface prep 2" disc.



\$36

PN: GPK2

3" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 3" backing pad, 24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc, Brown (Coarse) surface prep 3" disc & Maroon (Medium) surface prep 3" disc.



\$48

PN: GPK3

Abrasive & Sanding Pads made in USA.

8 Piece Flap Wheel Kit

Kit includes:

25 MM x 12 MM, 120 Grit, x 1
25 MM x 25 MM, 40 Grit, x 1
25 MM x 25 MM, 80 Grit, x 1
40 MM x 25 MM, 60 Grit, x 1

40 MM x 25 MM, 80 Grit, x 1
50 MM x 25 MM, 80 Grit, x 1
50 MM x 25 MM, 60 Grit, x 2

\$59

PN: GFWK



Ceramic Sanding Belts



Pack of 10 Belts.

10 MM Sanding Belts

Size: 10 MM x 330 MM

40 Grit PN: AB2700-40CP

60 Grit PN: AB2700-60CP

80 Grit PN: AB2700-80CP

120 Grit PN: AB2700-120CP

\$33 ea

20 MM Sanding Belts

Size: 20 MM x 520 MM

40 Grit PN: AB2800-40CP

60 Grit PN: AB2800-60CP

80 Grit PN: AB2800-80CP

120 Grit PN: AB2800-120CP

\$39 ea

Quick-Lock Polishing Pads



50 MM Quick-Lock Felt Polishing Pad

\$14

PN: GPA1525



75 MM Quick-Lock Felt Polishing Pad

\$18

PN: GPA1573

Polishing Mops

1/4" Shank Tapered Spindle

Fits 50 MM Calico Polishing Mops (PN: PMC50).



\$50

PN: TS12

50 MM Calico Polish Mop

For use with Taper Spindle (PN: TS12). Width: 20 MM



\$37

PN: PMC50

Velcro Backing Pads

50 MM Velcro Backing Pad

Shank Size: 1/4"



\$35

PN: GPA50

75 MM Velcro Backing Pad

Shank Size: 1/4"



\$45

PN: GPA73

Velcro Polishing Pads

60 MM Polishing Pad 80 MM Polishing Pad

Suits 50 MM Velcro Backing Pad

Suits 75 MM Velcro Backing Pad



\$13

PN: OWB-60



\$22

PN: 119-102

150 MM Velcro Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 MM

Velcro
Backing Pad

\$43

PN: F6505



Dust Free Velcro
Backing Pad

\$47

PN: F6505



Rubber Turbo Backing Pads

- Specially designed air veins provide cooling air to sanding surface
- Lock Nut included



125 MM Backing Pad

Pad Thickness: 18 MM
Max Speed: 10,000 RPM

M14 Int. PN: GTP162214

5/8" x 11 Int. PN: GTP162258

\$35 ea

180 MM Backing Pad

Pad Thickness: 18 MM
Max Speed: 8,500 RPM

M14 Int. PN: GTP1737

5/8 x 11 Int. PN: GTP1736

\$68 ea

Clean & Strip Discs

- Used for removal of paint and light rust
- Will not damage the original surface

Pack of 2



10 x 50 MM

\$19

PN: ABCH902P

10 x 75 MM

\$30

PN: ABCH903P

2" Cut off Discs

Disc Size: 50 x 1 MM
Max Speed: 30,000 RPM
Bore: 1/4"

Pack of 10



\$35

PN: ABPCWHEELS

flexipads

WHAT QUALITY FEELS LIKE™

Velcro Backing Pads



150 MM Velcro Pads

• Medium Pad Density
Thread Size: 5/8" UNC Int.
Pad Thickness: 12 MM
Max Speed: 10,200 RPM

\$60

PN: FP36160

180 MM Velcro Pads

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 12 MM
Max Speed: 8,500 RPM

\$71

PN: FP36170

200 MM Velcro Pads

• Medium Pad Density
Pad Thickness: 12 MM
Max Speed: 6,500 RPM

\$71 EA

M14 Int. Thread PN: FP36185

5/8" UNC Int. Thread PN: FP36190

Velcro Interface Pads

Used in combination with rigid backing pads, interface pads avoid unwanted flat spots and achieve more consistent results, when working on rounded profiles.

Pad Dia.: 150 MM
Pad Thickness: 12 MM
Max Speed: 13,000 RPM



Standard

\$19

PN: FP32705

5 Hole Dust-Free

\$20

PN: FP32710

7" Nylon Backing Pads

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 20 MM
Max Speed: 8,500 RPM

\$32 EA

M14 Int. Thread PN: FP20310

5/8" UNC Int. Thread PN: FP20305



Nylon Backing Pads



100 MM Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 15 MM
Max Speed: 12,250 RPM

\$25

PN: FP20020

115 MM Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 15 MM
Max Speed: 12,250 RPM

\$26

PN: FP20115

125 MM Nylon Backing Pad

• Medium Pad Density
Thread Size: M14 x 2 Int.
Pad Thickness: 16 MM
Max Speed: 12,250 RPM

\$26

PN: FP20210

Sheep Skin Polishing Bonnets

100% Merino sheep skin
wool pile with tie cord.
Max. speed: 2,500 RPM
Thickness: 32 MM



**100%
Merino Sheep
skin Wool!**

5" Merino Wool Sheep
Skin Polishing Bonnet.

\$32

PN: FP40005

7" Merino Wool Sheep
Skin Polishing Bonnet.

\$41

PN: FP40015

9" Merino Wool Sheep
Skin Polishing Bonnet.

\$49

PN: FP40025

6" Dust Free Multi-Fit Velcro Pad

Thread Size: M8 & 5/16" UNF
Pad Thickness: 14 MM
Max Speed: 12,000 RPM

\$80

PN: FP17099



**Suits
Festool & Makita
Sanders!**

Letter Stamp Sets

27 piece set includes A-Z plus "&" character
Made from CRV (6150).

10 mm Stamp Set

\$110

PN: GYC601-10

12 mm Stamp Set

\$136

PN: GYC601-12



Number Stamp Sets

9 piece set includes 0 to 8 (6 is used as 9)
Made from CRV (6150).



3 mm Stamp Set

PN: GYC602-3

\$28

4 mm Stamp Set

PN: GYC602-4

\$30

5 mm Stamp Set

PN: GYC602-5

\$34

6 mm Stamp Set

PN: GYC602-6

\$40

8 mm Stamp Set

PN: GYC602-8

\$49

10 mm Stamp Set

PN: GYC602-10

\$59

12 mm Stamp Set

PN: GYC602-12

\$82

Alphanumeric Stamp Sets

36 piece set includes
27 "A" to "Z",
"&", and 9 Piece
0-8 (6 is used as 9)
Hardness:
HRC 58-62°



3 mm Stamp Set

PN: GYC607-3

\$57

4 mm Stamp Set

PN: GYC607-4

\$67

5 mm Stamp Set

PN: GYC607-5

\$79

6 mm Stamp Set

PN: GYC607-6

\$99

8 mm Stamp Set

PN: GYC607-8

\$159

Single Line Alphanumeric Stamp Sets

Made from S55C High
carbon steel, HRC 58-60°.

100 Piece set includes:
9 Character Type Holder,
hex wrench, A-Z, 0-9, & ,
/- and blank space.



3 mm Stamp Set

\$499

PN: GYC610-3

6 mm Stamp Set

\$659

PN: GYC610-6

3 Piece Step Drill Set

- TiN coated HSS
- Helical flute

Includes:
4-12 MM,
4-20 MM,
4-32 MM



\$179

PN: G3SD

1 to 13 MM HSS Drill Set

Set includes drill bits
from 1 to 13 MM in
0.5 MM increments.

**25
PIECE
SET**

**M2 HIGH-SPEED
STEEL**

\$99

PN: GDS25

115 Piece Hss Drill Set

115 Piece set includes:
29 Fractional Imperial Drill Bits from
1/16" (1.59 MM) to 1/2" (12.7 MM)

60 ASME Standard Numbered Drill Bits from
No.1 (5.79 MM) to No.60 (1.02 MM)

26 ASME Standard Lettered Drill Bits from
A (5.94 MM) to Z (10.49 MM)



\$179

PN: GDS115

Screw Extractor Set

5 piece set is suitable
for extracting screws or
bolts from 4M to M20.



\$19

PN: GSES

Metric 18 Piece Tap & Drill Set

18 piece set includes precision
ground tap drill and thread
taps for M2.5, M3,
M3.5, M4, M5, M6,
M8, M10 & M12
internal threads.



\$119

PN: GTDS

Soluble Cutting Oil

Contains emulsifiers and bactericides specifically
formulated to provide excellent stability and rust
prevention characteristics in hard water up to
400 ppm (expressed as calcium carbonate).

Mix between 5% to 10% with clean tap water.

1 Litre

\$32

PN: SOLOIL1

5 Litres

\$116

PN: SOLOIL5


20 Litres

\$399

PN: SOLOIL20



morrisflex




At times it can be challenging
to remove broken bolts or studs
without damaging threads,
especially when located in a
confined space.


Morrisflex Bolt Removal Kits
efficiently extract bolts without
damaging threads and
promote a safe and clean
removal every time.

Combined these kits
with a straight or angle
die grinder and reduce the
need for parts to be removed
from confined spaces
before extraction.

The simple 4 step process involves:



1.
Flatten the
surface of the
broken bolt or
stud with
Leveling Bur.



2.
Form a countersink
at the centre-point
of the bolt with the
Countersink Burr.



3.
Drill into the
stud with the left
handed drill bit.



4.
Tap the extraction
tool into the
hole and rotate
to remove.

Bolt Removal Kits

Each kit includes:

- Leveling Bur
- Countersink Burr
- Left Handed Drill Bit
- Extracting Bit



Size	PN	Price
M6	CBSETBRM6	\$99
M8	CBSETBRM8	\$105
M10	CBSETBRM10	\$122
M12	CBSETBRM12	\$132
M14	CBSETBRM14	\$165

Mechanics Creeper

Size: 1005 x 470 x 135 MM
Wheel Size: 75 x 25 MM

- Steel reinforced caster mounts
- Integrated side trays

**STEEL
REINFORCED
CASTER
MOUNTS**

**150 kg
Load Rating**

\$179
PN: GCR40

Welders Vices



Designed to accurately hold same size bar at 90° angle to each other.

60 MM Jaw Opening 100 MM Jaw Opening

\$149
PN: TV274

\$189
PN: TV275

Lathe Tool Set

12 MM Centre Height
9 Piece includes with replaceable tips and Case.

**HOT
PRICE!**

\$299
PN: JI12

Drill Chuck Arbors

MT2 x JT6 Arbor **\$23**
PN: DCAMT2J6
MT3 x JT6 Arbor **\$30**
PN: DCAMT3J6
MT2 x J3 Arbor **\$23**
PN: DCAMT2J3
MT3 x B16 Arbor **\$30**
PN: DCAMT3B16

**MADE IN
TAIWAN.**

Other sizes available.



End Mill Chamfers



3-25 MM End
Mill Chamfer

Insert: TCMT16T3
Shank dia.: 12 MM
Length: 110 MM
Dia.: 25 MM

\$178
PN: TC12


20-36 MM End
Mill Chamfer

Insert: TCMT16T3
Shank dia.: 12 MM
Length: 100 MM
Dia.: 40 MM

\$188
PN: TC40

Round Vice

- Reversible mount for smaller bar diameters.
- Mount horizontally or vertically




Capacity: 10-80 MM round
Base: 230 x 161 MM (Hor.)
Base: 161 x 135 MM (Vert.)
Jaw width: 100 MM

\$349
PN: GVR

Cross Vices

- Gibbed slide ways for slack adjustment
- Travel locks for repetitive work



100 MM Cross Vice

Base: 223 x 130 MM
Overall height: 133 MM
Jaw Size: 103 x 34 MM


\$139
PN: TV144-4

150 MM Cross Vice

Base: 280 x 160 MM
Overall height: 160 MM
Jaw Size: 154 x 44 MM

\$239
PN: TV144-6

Drill Press Vices



100 MM Drill Press Vice

Base: 177 x 161 MM
Jaw Size: 101 x 23 MM
Jaw opening: 100 MM

\$49
PN: TV102-4

150 MM Drill Press Vice

Base: 238 x 210 MM
Jaw Size: 150 x 28 MM
Jaw opening: 150 MM

\$89
PN: TV102-6

200 MM Drill Press Vice

Base: 348 x 287 MM
Jaw Size: 200 x 46 MM
Jaw opening: 200 MM

\$359
PN: TV122-8

Precision Drill Press Vices

- Hardened prismatic jaws
- Removable pin handle for extra torque



100 MM Drill Vice

Jaw Face: 103 x 32 MM
Jaw opening: 80 MM

\$259
PN: GS101-4

125 MM Drill Vice

Jaw Face: 130 x 38 MM
Jaw opening: 110 MM

\$339
PN: GS101-5

150 MM Drill Vice

Jaw Face: 155 x 38 MM
Jaw opening: 130 MM

\$389
PN: GS101-6

JETON® Nozzle Kits

Made from POM plastic and is ideal for use with all petroleum solvents, lubricants and brake fluids.


Is not electrically conductive and compatible with EDM.

Hose Assembly Pliers



1/4" PN: CS26171
3/8" PN: CS26176
1/2" PN: CS26172

\$99 ea



1/4" Assorted Nozzle Kit

Includes 300 mm of 1/4" hose segments, 1/16", 1/8", 1/4" Nozzles, 1/4" & 1/8" Male threaded PT Connectors

\$35
PN: CS32020

1/2" Assorted Nozzle Kit

Includes 300 mm of 1/2" hose segments, 1/4", 3/8" & 1/2" Nozzles, 3/8" & 1/2" Male threaded PT Connectors

\$53
PN: CS84040

Magnetic Base Kit with 25 MM Flare Nozzle

Includes Twenty 1/4" Segments, 1" Flare Nozzle, one 1/4" Male PT connector with Valve

\$63
PN: CS33105

3/8" Nozzle Kit

Includes 300 mm of 3/8" hose segments, 3/8" Round Nozzle & 3/8" Male PT Connector

\$45
PN: CS33030





Dual Scale Vernier Calipers



150 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm / 01"
Accuracy: $\pm 0.03/01''$

PN: AC-120-006-12

\$83

200 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm / 01"
Accuracy: $\pm 0.03/01''$

PN: AC-120-008-12

\$116

300 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm / 01"
Accuracy: $\pm 0.04/02''$

PN: AC-120-012-12

\$188

Metric Dial Calipers



150 MM Metric Dial Caliper

Graduation: 0.02 mm
Accuracy: ± 0.03 mm

PN: AC-101-006-11

\$157

200 MM Metric Dial Caliper

Graduation: 0.02 mm
Accuracy: ± 0.03 mm

PN: AC-101-008-11

\$188


300 MM Metric Dial Caliper

Graduation: 0.02 mm
Accuracy: ± 0.04 mm

PN: AC-101-012-11

\$293

150 MM Digital Plastic Caliper




Resolution: 0.01 mm / 005"
Accuracy: ± 0.1 mm

PN: AC-117-006-11

\$49

Dual Scale Digital Calipers



USB
DATA OUTPUT

150 MM Dual Scale Digital Caliper

Resolution: 0.01 mm
Accuracy: ± 0.03 mm

PN: AC-111-006-12

\$99

200 MM Dual Scale Digital Caliper

Resolution: 0.01 mm
Accuracy: ± 0.03 mm

PN: AC-111-008-12

\$157

300 MM Dual Scale Digital Caliper

Resolution: 0.01 mm
Accuracy: ± 0.03 mm

PN: AC-111-012-12

\$231

Splash Proof IP54 Dual Scale Digital Calipers



USB
DATA OUTPUT

- Highly accurate glass scale
- USB data output

150 MM Dual Scale Splash Proof IP54 Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"

PN: AC-111-006-11

\$136

200 MM Dual Scale Splash Proof IP54 Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"

PN: AC-111-008-11

\$184

300 MM Dual Scale Splash Proof IP54 Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"


PN: AC-111-012-11

\$262

200 MM IP54 Fractional, Imperial & Metric Digital Caliper

PN: AC-113-008-11

\$198



Resolution: 0.01 mm, 05", 1/128"
Accuracy: ± 0.03 mm

- Display Modes: Fraction Imperial, Decimal Imperial & Metric
- Auto On/Off

Coolant Proof IP67 Dual Scale Digital Calipers



150 MM Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"

PN: AC-112-006-12

\$272

200 MM Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"

PN: AC-112-008-12

\$352


300 MM Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"

PN: AC-112-012-12

\$619

Dual Scale Long Series Digital Calipers



USB
DATA OUTPUT

- Functions: zero point, mm/ inch, ABS, data preset
- Measures: Inside, Outside
- USB data output

600 MM Dual Scale Digital Caliper

Range: Outside 0-620 mm / 0-24.5"
Inside 20-600 mm / 0-24"

Resolution: 0.01 mm / 05"
Accuracy: ± 0.05 mm / 02"
Jaw Reach: 100 mm

PN: AC-118-024-11

\$657

1000 MM Dual Scale Digital Caliper


Range: Outside 0-1020 mm / 0-40.2"
Inside 20-1000 mm / 0-40"

Resolution: 0.01 mm / 05"
Accuracy: ± 0.08 mm / 03"
Jaw Reach: 150 mm

PN: AC-118-040-11

\$1,259

Dual Scale Vernier Calipers



- Fine Adjustment
- Made of stainless steel
- Stain chrome reading surface

600 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm / 01"
Accuracy: ± 0.05 mm

PN: AC-127-024-11

\$419

1000 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm / 01"
Accuracy: ± 0.08 mm

PN: AC-127-040-11

\$1,182

2000 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm / 01"
Accuracy: ± 0.14 mm

PN: AC-127-080-11

\$3,620

Dial Indicators

10 MM Jeweled Bearing Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

- Jeweled Bearing
- Limit hands
- Lug back

PN: AC-222-010-11

\$90



25mm Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

PN: AC-229-025-11

\$122

1" Dial Indicator

Graduation: 0.1"
Accuracy: 20 µm

PN: AC-225-025-11

\$90

25 MM Dual Scale Digital Indicator

Resolution: 0.01 mm / 0.05"
Accuracy: 20 µm

- Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS
- USB data output
- Supplied with flat & lug back

PN: AC-212-025-13

\$209



Indicator Point Extensions



Metric Indicator Point Extensions

Thread: M2.5x0.45 mm

25 mm - PN: AC-270-000-04

\$21

50 mm - PN: AC-270-000-09

\$21

75 mm - PN: AC-270-000-14

\$26

100 mm - PN: AC-270-000-17

\$26

IMPERIAL SIZES AVAILABLE

Caliper Attachments



75 MM Base

Beam Width: 16 mm

PN: AC-179-000-00

\$39

100 MM Base

Beam Width: 16 mm

PN: AC-179-000-01

\$79

Caliper Point Extension Kit

Measure slotted, stepped or grooved surfaces in hard to access spaces with four different point configurations. Max Jaw

Thickness: 4 mm
Probe length: 20 mm



Caliper not included.

PN: GCAK
\$51

Dial Indicator & Magnetic Stand Kits

10 MM Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.01 mm
Accuracy: ±20 µm

PN: AC-280-000-02

\$176

1" Inch Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.001"
Accuracy: ±20 µm

PN: AC-280-001-02

\$176



- Supplied in Aluminium Case

Universal Magnetic Stands

Fine Adjustment Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf



PN: AC-281-060-01

\$83

Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf



PN: AC-281-060-02

\$77

Mini Universal Magnetic Stand

Magnetic Force: 40 kgf
Stem holes: 8 mm
Height: 231 mm
Arm length: 192 mm



PN: AC-286-040-01

\$194

Universal Magnetic Stand

Stem hole: 8 mm
Height: 395 mm
Arm Lengths: 340 mm
Magnetic Force: 80 kgf



PN: AC-282-080-02

\$219

Indicator Centering Mount

Mounts Indicator to chuck to indicate alignment between chuck and cylinders or holes.



PN: AC-269-060-01

\$44

Dial Indicators

- 1mm range per revolution
- Lug and flat back

30 MM Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-030-11

\$143

50 MM Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-050-21

\$314

2" Imperial Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-225-050-11

\$143



Dial Bore Gauges

18-35 MM Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.015 mm

PN: AC-251-035-11

\$249

35-60 MM Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.018 mm

PN: AC-251-060-11

\$249

50-160 MM Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.018 mm

PN: AC-251-160-11

\$249

2-6" Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.071"

PN: AC-252-060-11

\$272



18-160 MM Dial Bore Gauge Set

Range: 18-160mm
Indicating range: 10 mm
Graduations: 0.01 mm
Accuracy:
18-35mm / ±0.015 mm
35-60mm / ±0.018 mm
50-160mm / ±0.018 mm

PN: AC-251-346-13

\$734



Dial Test Indicator

- Anti-magnetic metal body
- Jeweled bearing
- Carbide stylus
- Includes 4 & 8 mm clamps

Range: 0.8 mm
Graduation: 0.01 mm
Accuracy: ±13 µm

PN: AC-261-008-11

\$132



Combination Square Set

Circle Centre Finder 90° or 45° square
Accuracy: ± 0.15 mm
Ruler range: 300 mm / 12"

Protractor
Range: 0-180°
Accuracy: $\pm 7'$
PN: AC-817-180-02
\$251



Wide Base Machinist Squares (Grade 2)

100 mm Wide Base Machinist Square

Squareness: (a) 28 μ m (b) 30 μ m
Base size: 19H x 12W x 70L mm
Blade Thickness: 3 mm

PN: AC-845-004-02
\$39

150 mm Wide Base Machinist Square

Squareness: (a) 33 (b) 35 μ m
Base size: 25H x 16W x 100L mm
Blade Thickness: 3 mm

PN: AC-845-006-02
\$53

200 mm Wide Base Machinist Square

Squareness: (a) 37 μ m (b) 40 μ m
Base size: 32H x 16W x 130L mm
Blade Thickness: 4 mm

PN: AC-845-008-02
\$66

300 mm Wide Base Machinist Square

Squareness: (a) 47 μ m (b) 50 μ m
Base size: 32H x 19W x 200L mm
Blade Thickness: 4 mm

PN: AC-845-012-02
\$102

600 mm Wide Base Machinist Square

Squareness: (a) 75 μ m (b) 80 μ m
Base size: 50H x 30W x 350L mm
Blade Thickness: 6 mm

PN: AC-845-024-02
\$374



Straight Edge Rulers



300 mm Straight Edge Ruler
Graduations: 1 mm
Beam Width: 40 mm
Length: 300 mm
PN: AC-991-012-01
\$139

500 mm Straight Edge Ruler

Graduations: 1 mm
Beam Width: 40 mm
Length: 500 mm
PN: AC-991-020-01
\$215

1000 mm Straight Edge Ruler

Graduations: 1 mm
Beam Width: 50 mm
Length: 1000 mm
PN: AC-991-040-01
\$465

Thread Gauge Sets



Metric & Whitworth Thread Gauge

Metric 60° Range: 0.25-6.0 mm
Whitworth 55° Range: 4-62 TPI
PN: AC-925-062-52
\$35

Metric Thread Gauge

Metric 60° Range: 0.25 - 6.0 mm
PN: AC-922-006-24
\$23

Whitworth Thread Gauge

Whitworth 55° Range: 4-42 TPI
PN: AC-924-042-30
\$26

Circumference Tape



60-950 mm Circumference Tape

Range: Dia. 20-300 mm / Cir. 60-950 mm
Graduation: 0.1 mm
PN: AC-956-012-11
\$41

940-2200 mm Circumference Tape

Range: Dia. 300-700 mm / Cir. 940-2200 mm
Graduation: 0.1 mm
PN: AC-956-028-11
\$58

2190-3460 mm Circumference Tape

Range: Dia. 700-1100 mm / Cir. 2190-3460 mm
Graduation: 0.1 mm
PN: AC-956-044-11
\$77

Dual Scale Stainless Rulers

150 mm Dual Scale Stainless Ruler

Range: 150 mm / 6"
Graduation: 0.5 mm, 1 mm,
1/64", 1/32", 1/16"



PN: AC-990-006-11
\$12

300 mm Dual Scale Stainless Ruler

Range: 300 mm / 12"
Graduation: 0.5 mm, 1 mm,
1/64", 1/32", 1/16"



PN: AC-990-012-11
\$20

Angle Finders



150 mm / 180° Angle Finder

Length: 150 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$
PN: AC-812-005-01
\$62

200 mm / 180° Angle Finder

Length: 200 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$
PN: AC-812-006-01
\$84

300 mm / 180° Angle Finder

Length: 300 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$
PN: AC-812-008-01
\$122

500 mm / 180° Angle Finder

Length: 500 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$
PN: AC-812-012-01
\$183

Double Ended Scriber

- Nickel plated with Hardened tips
- Knurled handle
- Length: 250 mm



PN: AC-995-009-01
\$17

Combination Rulers



200 mm Digital Combination Ruler

Length: 200 mm
Range: 360°
Resolution: 0.1°
PN: AC-821-008-01
\$104

300 mm Digital Combination Ruler

Length: 300 mm
Range: 360°
Resolution: 0.1°
PN: AC-821-012-01
\$122

Dividers & Calipers



200 mm Inside Spring Caliper

Range: 18-190 mm
Length: 200 mm
PN: AC-982-008-01
\$36

200 mm Spring Divider

Range: 0-190 mm
Length: 200 mm
PN: AC-985-008-01
\$36

200 mm Outside Spring Caliper

Range: 0-190 mm
Length: 200 mm
PN: AC-984-008-01
\$36

300 mm Inside Spring Caliper

Range: 18-290 mm
Length: 300 mm
PN: AC-982-012-01
\$49

300 mm Spring Divider

Range: 0-290 mm
Length: 300 mm
PN: AC-985-012-01
\$49

300 mm Outside Spring Caliper

Range: 0-290 mm
Length: 300 mm
PN: AC-984-012-01
\$49

500 mm Inside Spring Caliper

Range: 25-490 mm
Length: 500 mm
PN: AC-982-020-01
\$76

500 mm Spring Divider

Range: 0-490 mm
Length: 500 mm
PN: AC-985-020-01
\$76

500 mm Outside Spring Caliper

Range: 0-490 mm
Length: 500 mm
PN: AC-984-020-01
\$76

Tubular Inside Micrometer Sets



- Carbide measuring faces

50-300 MM Metric Tubular Inside Micrometer Set
Head Range: 13 MM
Graduation: 0.01 MM
PN: AC-352-012-01
\$418

50-600 MM Metric Tubular Inside Micrometer Set
Head Range: 13 MM
Graduation: 0.01 MM
PN: AC-352-024-01
\$499


Telescopic Gauge Set

Handle lengths: 115-137 MM
Gauge sizes: 8-12.7 MM, 12.7-19 MM, 19-32 MM, 32-54 MM, 54-90 MM & 90-150 MM



PN: AC-951-006-01
\$83

Feeler Gauges



200 MM Feeler Gauge 20 Leave Set
Range: 0.05-1 MM
Length: 200 MM
PN: AC-914-100-20
\$44

150 MM Feeler Gauge 20 Leave Set
Range: 0.05-1 MM
Length: 150 MM
PN: AC-913-100-20
\$36

300 MM Feeler Gauge 20 Leave Set
Range: 0.05-1 MM
Length: 300 MM
PN: AC-915-100-20
\$50

Dual Scale Angled Feeler Gauge
Metric Range: 0.005 - 0.030 MM
Imperial Range: 0.127" - 0.762"
Blade Length: 100 MM



New!

PN: AC-919-030-26
\$48

Feeler Tapes

Size: 13 MM x 5 mm
Accuracy: ± 4 μ m



0.02 MM Feeler Tape
PN: AC-916-002-01
\$47

0.04 MM Feeler Tape
PN: AC-916-004-01
\$41

Depth Micrometers

25 MM Digital Depth Caliper

• USB data output
Resolution: 0.01 MM
Accuracy: ± 0.03 MM

PN: AC-176-001-11
\$143



0-150 MM Micrometer with Captive Anvils

PN: AC-392-006-01
\$453



0-300 MM Micrometer with Captive Anvils

Accuracy: ± 3 μ m
Base size: 101.5 x 17 MM
PN: AC-392-012-01
\$710



200 MM Digital Depth Caliper

PN: AC-171-008-11
\$187


300 MM Digital Depth Caliper

PN: AC-171-012-11
\$414

500 MM Digital Depth Caliper

PN: AC-171-020-11
\$713

Resolution: 0.01 MM
Accuracy: ± 0.03 MM



Metric Outside Micrometers



IMPERIAL SIZES AVAILABLE

SIZES AVAILABLE UP TO 1000 mm

- Carbide measuring faces
- Setting standard included
- Ratchet stop

25 MM Outside Micrometer

Graduation: 0.01 MM
Accuracy: 4 μ m
Jaw Reach: 29 MM
PN: AC-321-001-01
\$69

25-50 MM Outside Micrometer

Graduation: 0.01 MM
Accuracy: 4 μ m
Jaw Reach: 39 MM
PN: AC-321-002-01
\$73

50-75 MM Outside Micrometer

Graduation: 0.01 MM
Accuracy: 5 μ m
Jaw Reach: 53 MM
PN: AC-321-003-01
\$83

Coolant Proof Digital Micrometers



- Functions: mm/inch, Origin, zero point, ABS, Hold
- IP65 protection level
- Carbide measuring faces
- Ratchet stop.

25 MM Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 01 MM
Accuracy: 3 μ m
Jaw Reach: 25 MM
PN: AC-313-001-02
\$262

25-50 MM Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 01 MM
Accuracy: 3 μ m
Jaw Reach: 32 MM
PN: AC-313-002-02
\$314

Micrometer Sets

- Supplied with Calibration certificate



IMPERIAL SETS AVAILABLE

300 mm SET ALSO AVAILABLE

75 MM Micrometer 3 Piece Set

Set of 3 Micrometers
Range: 0-75 MM
Graduation: 0.01 MM
Accuracy: 5 μ m
PN: AC-321-003-03
\$209

100 MM Micrometer 4 Piece Set

Set of 4 Micrometers
Range: 0-400 MM
Graduation: 0.01 MM
Accuracy: $\pm 4-5$ μ m
PN: AC-321-004-04
\$356

150 MM Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 0-150 MM
Graduation: 0.01 MM
Accuracy: $\pm 4-6$ μ m
PN: AC-321-006-06
\$587

1/4" Centering Indicator

- For quick and accurate centering in boring and milling set-up
- Jeweled bearing
- Supplied with 7 feelers



Range: 0-3mm
Graduation: 0.01 MM
Size: 150 x 60 x 33 MM

PN: AC-297-003-11
\$326

Radius Gauge Set



Range: 0.5-13 MM
Accuracy: ± 0.05 MM
Increments: 0.5 MM

PN: AC-942-013-26
\$100

300 MM Dual Scale Digital Output Height Gauge

Range: 0-300 MM/0-12"
Resolution: 0.01 MM/0.0005"
Accuracy: ± 0.04 MM
Beam Width: 23 MM
External Jaw Reach: 80 MM
Length: 470 MM

PN: AC-181-012-11
\$524



Small Hole Gauge Set

Range: 3-13mm



PN: AC-952-004-01
\$59

Moisture Meter

Temp. Range: -10-60 °C
Humidity Range: 0.1 °C RH
Moisture Range:
2-40/50/60/70%
(for wood samples)

PN: AC-WMM700

\$91



Concrete Moisture Meter

Range: 0-40%
Resolution: 0.5 %
Accuracy: ±2%

PN: AC-WMM900

\$459



200x Digital Wifi Microscope

- Capture pictures or video
- Measuring software & calibration rule included
- 8 LED Light array

Resolution: 2 Megapixel
Magnification: 10 - 200x
Interface: USB2.0 or Wifi



Connects to any Wifi enabled Laptop, Phone or Tablet.



PN: AC-WIFI200

\$480

Digital Sound Level Meter

- Fast & Slow display functions, Continuous & Min/Max functions
- Back-lit LCD
- Programmable Exceedence Alarm

Range: 30-130 db
Accuracy: 1.5 db
Resolution: 0.1 db
Weight: 64g



PN: AC-SLM130

\$122

Digital Anemometer

- Temperature & Wind Speed display
- Real-time/Max/Ave functions
- Back-lit LCD
- Unit: m/s, km/h, ft/min, Knots, mph

Range: 0.3-30m/s
Accuracy: ±5%
Resolution: 0.1m/s
Weight: 154g



PN: AC-AM30

\$122

Portable Hardness Tester

Resolution: 1 HLD, 1 HV, 1 HB, 0.1 HRC, 0.1 HRB, 1 HS, 1 MPa
Units: HV, HB, HRC, HRB, HS & tensile strength MPa
Accuracy: ±8 HLD / 0.8 HRC (HLD=800)
Min. sample weight: 5 kg (directly) / 2 kg (supported) / 0.1kg (coupled to plate)
Min. sample thickness: 5 mm
Min. sample diameter: 22 mm
Max. sample roughness: 1.61-Jm(Ra)
Power: 3 x AAA battery
Dimensions: 121 x 68 x 30 mm



PN: AC-HL350

\$835

Axial Tachometer

Rotary Range: 0.5-19,999 rpm
Linear Range: 0.05-1999.9 m/min
Power Supply: 2 x AAA
Weight: 106g

- Includes various coupling attachments



PN: AC-CT900

\$129

Laser Tachometer

Sampling Range: 50 - 500 mm
Range: 2.5 - 99,999 RPM
Power Supply: 2 x AAA
Weight: 106 g

Supplied with 3 metres of 3M™ Reflective Tape.



PN: AC-LT900

\$122

Digital Level & Protractor

- Magnetic V-groove Base



Size: 150 mm x 60 mm x 33 mm
Accuracy : ±0.1°(at 0°/90°/180°/270°)
±0.2°(other direction)

Resolution: 0.05°

PN: AC-722-360-01

\$210

Digital Protractor

- Functions: Zero point, ABS, Hold
- Level Vial



Range: 360°
Resolution: 0.05°
Accuracy: ±0.15°
Length: 250 mm

PN: AC-726-360-01

\$199

Infrared Thermometer

- Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
- Adjustable Emission Compensation
 - Battery Power Indicator
 - Mutable sample capture alarm
 - Back-light LCD Display
 - 1/4"-20 UNC Tripod Mount
 - Laser Sight

Measuring range: -50 to 950 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT700

\$178



UPGRADED PERFORMANCE! -50 to 950°C

Laser Distance & Level Meter

- Functions: Distance, Area, Volume, Indirect distance,
- Maximum & Minimum Memory
 - Laser Sight
 - Built-in Spirit Level
 - IP54 Protection Level
 - Back-light LCD Display
 - Battery Power Indicator
 - 1/4"-20 UNC Tripod Mount

Measuring range: 0.5-100 m
Accuracy: 1.5 mm
Units: Metre/Inch/Foot
Light spot: Ø8 mm @ 40 m

Memory: 20 data points
Power supply: 2 x 1.5V AAA batteries
Weight: 110 g

100 METRE RANGE!

PN: AC-TM100

\$260



Digital Level

- Magnetic base

Range: 0-360°
Resolution: 0.1°
Dimensions: 59 x 59 x 28 mm
Accuracy: ±0.1°
±0.2°(other directions)



PN: AC-721-180-01

\$122

200 mm Frame Level

- Two vee & two flat reference faces



Sensitivity: 0.02 mm / m per division
Size: 200 x 200 x 35 mm

PN: AC-711-008-02

\$363

Block Levels



150 mm Block Level

Size: 150 x 40 x 45 mm

PN: AC-713-006-02

\$304

300 mm Block Level

Size: 300 x 40 x 45 mm

PN: AC-713-012-02

\$388

Sensitivity: 0.02 mm / m per division

600 mm Digital level

- Functions as level or protractor
- Back-light Display
- Absolute horizon memory
- Magnetic base

Units: Degrees, Slope %, mm/m & In/Ft Pitch.
Resolution: 0.1°




PN: AC-725-360-01

\$185



1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



Non-ferrous & Stainless Carbide Burrs also available.

Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1	\$42
3	2 3/8"	CBSE3	\$62
5	2 5/8"	CBSE5	\$83

Radiused Tree Burrs

Size	Length	PN	Price
1	2"	CBSF1	\$42
3	2 1/2"	CBSF3	\$62
5	2 3/4"	CBSF5	\$83

Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1	\$42
3	2 1/2"	CBSG3	\$62
5	2 3/4"	CBSG5	\$83

Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1	\$42
3	2 1/2"	CBSA3	\$62
5	2 3/4"	CBSA5	\$83

End Cut Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSB1	\$42
3	2 1/2"	CBSB3	\$62
5	2 3/4"	CBSB5	\$83

Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1	\$42
3	2 1/2"	CBSC3	\$62
5	2 3/4"	CBSC5	\$83

Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1	\$42
3	2 1/8"	CBSD3	\$62
5	2 1/4"	CBSD5	\$83

Flame Burrs

Size	Length	PN	Price
1	2 3/4"	CBSH1	\$42
3	2 1/2"	CBSH3	\$62
5	3"	CBSH5	\$83

Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1	\$42
3	3"	CBSL3	\$62
5	3"	CBSL4	\$83

Cone Burrs

Size	Length	PN	Price
1	1 7/8"	CBSM1	\$42
3	2 1/2"	CBSM4	\$62
5	2 3/4"	CBSM5	\$83

Inverted Cone Burrs

Size	Length	PN	Price
1	2"	CBSN1	\$42
3	2 1/8"	CBSN3	\$62
5	2 1/4"	CBSN5	\$83

60° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSJ1	\$42
3	2 1/4"	CBSJ3	\$62
5	2 3/8"	CBSJ5	\$83

90° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSK1	\$42
3	2 1/8"	CBSK3	\$62
5	2 1/8"	CBSK5	\$83

1/4" Extended Carbide Burrs

6" Extended Size 3 Double-Cut Burrs

Shape	PN	Price
Cylinder	CBSA3L6	\$98
End Cut Cylinder	CBSB3L6	\$98
Radiused Cylinder	CBSC3L6	\$98
Ball	CBSD3L6	\$98
Oval	CBSE3L6	\$98
Radiused Tree	CBSF3L6	\$98
Pointed Tree	CBSG3L6	\$98
Radiused Cone	CBSL3L6	\$98

6" Extended Size 3 Non-ferrous Burrs

Shape	PN	Price
Radiused Cylinder	CBSC3L6NF	\$98
Ball	CBSD3L6NF	\$98
Oval	CBSE3L6NF	\$98
Radiused Tree	CBSF3L6NF	\$98
Flame	CBSH3L6NF	\$98

Carbide Burr Sets

1/8" Head Carbide Burr 10 Piece Set

Shank Dia: 1/8"



\$194

PN: CBSET10

3/8" Head Carbide Burr 3 Piece Set

Shank Dia: 1/4"



\$154

PN: CBSET3

1/4" & 3/8" Head Burr 8 Piece Set

Shank Dia: 1/4"



\$320

PN: CBSET8

1/2" Head Carbide Burr 5 Piece Set

Shank Dia: 1/4"



\$348

PN: CBSET5

3/8" Head Non-ferrous Burr 3 Piece Set

Shank Dia: 1/4"



\$183

PN: CBSET3NF

3/8" Head Stainless Burr 3 Piece Set

Shank Dia: 1/4"



\$198

PN: CBSET3INOX

The WORKSHOP Catalogue

February-May 2023

All prices quoted include GST.

Distributed by:

KUANI
Gear up your world™

Two Speed Air Sander

\$199
PN: KP6712

- Includes 50 mm & 75 mm Quick-Lock Backing Pads
- Side mounted speed regulator



Free Speed: 15,000 RPM
Weight: 0.45 Kg

KUANI
Gear up your world™

3" Orbital Pistol Grip Sander

\$249
PN: KP6628

- Side mounted speed regulator
- Free Speed: 15,000 RPM
Weight: 0.58 Kg



KUANI
Gear up your world™

Two Speed Air Sander

\$268
PN: KP6635

- Rotary or Random orbit modes
- Side mounted speed regulator

Hi Free Speed: 6000 RPM
Low Free Speed: 3000 RPM
Orbital Diameter: 1.5 mm
Weight: 0.58 kg



Twin LED Rechargeable Inspection Lamp

Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.

- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable Li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant



\$149
PN: GLED2CIL

SUPER BRIGHT 880 LUMENS!

Desktop Magnification Lamp

- Adjustable height & angle
- Interchangeable 100 mm lens (sold separately)

Lens dia.: 100 mm
Magnification: 3 Diopter
Max lens height: 300 mm
Brightness: 560 Lumen
Power supply: 240V
Cord length: 1.3m



\$99
PN: ML30

560 LUMEN LED LAMP

Workbench Magnification Lamp

- Mountable to most workbenches up to 60 mm thick
- 900 mm Two piece articulated arm
- 60 LED lamp with high & low modes
- High quality metal frame construction.



900MM REACH!
760 LUMENS

Magnification: 3 Dioptre
Lens dia.: 120 mm
Lamp: 60 x LED
Power: 240 V

\$199
PN: ML60



P2 RESPIRATORS

P2 RESPIRATORS WITH 4 LAYER PROTECTION

LAYER 1

An outer spun-bond polypropylene layer to block initial large particles, dust, and droplets.

LAYERS 2 & 3

Two layers of very fine, non-woven fabric to block finer dust particles, fumes, vapours and mists that cannot be seen to the naked eye.

LAYER 4

An inner layer of spun-bond polypropylene to block exhaled droplets. The filter materials are sandwiched between the inner & outer plastics.

LARGE REUSABLE P2 RESPIRATORS

- Generous length straps can be looped around ears or the back of the head
- Moist exhaled air is vented through dual one-way exhaust ports, preserving filter life

Size: 115W x 125H mm

+2 P2 Filters

Each respirator comes with 2 additional disposable P2 filters.



Disposable P2 filters

Pack of 4

\$22
PN: MPRF-P2-4

Compact enough to fit underneath welding helmets.



BLACK
PN: MPLR-P2B

\$34 ea

FLUOR GREEN
PN: MPLR-P2FG



Proudly supporting Australian Military Veterans, donating a percentage of all sales to TPI.